

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N-0105-404-1550



DECK LOG BOOK

OF THE

U.S.S. _____ W A D D E L L _____

_____ D D G 2 4 _____

IDENTIFICATION NUMBER

Attached to { _____ THIRTY TWO _____ Division,
_____ THREE _____ Squadron,
_____ THREE _____ Flotilla,
_____ SEVENTH _____ Fleet,
_____ - - - - - _____ Naval District,

Commencing _____ -8H, 0001, 1 APRIL _____, 19⁶⁹ ,
(zone time and date)

at _____ HONG KONG, B. C. C. _____,
(location)

and ending _____ -9I, 2400, 30 APRIL _____, 19⁶⁹ ,
(zone time and date)

at _____ YOKOSUKA, JAPAN _____
(location)

Approved by: L. O. Armel _____ Commanding

_____ L. O. A R M E L, II, CDR, USN _____

LOGBOOK

DECK

Division of Naval Operations
Naval District of the Pacific
San Francisco, California
1945

1. Date of Report: 10/1/45
2. Name of Ship: USS [illegible]
3. Name of Commanding Officer: [illegible]
4. Name of Observer: [illegible]

5. Name of Observer: [illegible]
6. Name of Observer: [illegible]
7. Name of Observer: [illegible]

8. Name of Observer: [illegible]
9. Name of Observer: [illegible]
10. Name of Observer: [illegible]

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24) ZONE DESCRIPTION -8(H) DATE TUESDAY 1 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM HONG KONG B.C.C. TO IV CTZ VIET NAM

POSITION	ZONE	TIME
0800		
L <u>18-18.5N</u>	BY <u>2</u>	
λ <u>110-47.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>17-22.7N</u>	BY <u>2</u>	
λ <u>109-43.0E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-11.4N</u>	BY <u>2</u>	
λ <u>108-16.6E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM HONG KONG B.C.C. TO IV CTZ, VIET NAM IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. BASE COURSE 251°T, SPEED 20 KNOTS. SHIP IS STEAMING IN CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE IS SET. SHIP IS DARKENED EXCEPT FOR NORMAL NAVIGATIONAL LIGHTS. SOPA AND OTC IS COMDESDIV THIRTY-TWO. 0012 C/L TO 180°T. 0246 C/L TO 209°T. 0313 C/L TO 200°T. 0328 C/L TO 209°T.

Jack E. Helmann
LT USN

04-08 UNDERWAY AS BEFORE. 0427 C/L 207°T. 0700 MUSTERED THE CREW ON STATION. ABSENTEES: NONE

William H. Galk
WILLIAM H. GALK LTJG USNR

08-12 UNDERWAY AS BEFORE 0804 C/L TO 227°. 1121 C/L 231°T.

DF Berth
D.F. BERKEBILE, LTJG USN

12-16 UNDERWAY AS BEFORE. 1205 C/L 18XTS.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

16-20 UNDERWAY AS BEFORE. 1724 C/L 234°. 1730 SET THE SPECIAL SEA AND ANCHOR DETAIL. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO ENTER DANANG HARBOR. 1827 COMDESDIV 32 DEBARKED THIS SHIP. 1941 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. COURSE 022, SPEED 15 KNOTS. 1949 C/L 070°T. PASSED DANANG HARBOR ENTRANCE BUOY TO PORT. 1952 C/L 080°T.

J. Helmann
LT USN

EXAMINED

Hayne Ellis LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE TUESDAY 1 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2007 $\% 114^{\circ}T$, $\% 20KTS$. 2011 $\% 125^{\circ}T$.
2014 $\% 120^{\circ}T$. 2047 $\% 140^{\circ}T$. COMMENCED MANEUVERING ON VARIOUS
COURSES AND SPEEDS TO TAKE STATION ALONGSIDE USS TOLOVANA (AO-64)
BASE COURSE $317^{\circ}T$, BASE SPEED 20 KTS. 2118 ON STATION ALONGSIDE
USS TOLOVANA'S STARBOARD SIDE. 2128 COMMENCED REFUELING FORE AND
AFT. 2204 SECURED TAKING ON FUEL. RECEIVED 110,002 GAL NSFO.
2213 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR
USS TOLOVANA. 2216 $\% 143^{\circ}T$, $\% 19KTS$. SET COURSE FOR IVKORPS TACTICAL
ZONE. 2343 $\% 155^{\circ}T$.

William H. Gair
WILLIAM H. GAIR
LTJG USNR

EXAMINED:

Harold Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8(H) DATE WEDNESDAY 2 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM HONG KONG B.C.C. TO IV CTZ SOUTH VIET NAM

POSITION	ZONE	TIME
0800		
L <u>13°-14.7N</u> BY <u>2</u>		
λ <u>109°-33.2E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>12°-07.4N</u> BY <u>2</u>		
λ <u>109°-34.0E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>10°-39.8N</u> BY <u>2,3</u>		
λ <u>108°-06.6E</u> BY <u>2,3</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY FROM HONG KONG TO SOUTH VIETNAM. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS IX AND MATERIAL CONDITION YOKE ARE SET. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. THE SHIP IS ON COURSE 155 AT 19 KTS. 0820 °C 145. 0829 °C 155. 0855 °C 145. 0917 °C 161. 0922 °C 170. 0933 °C 165. 0936 °C 161. 0946

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

04-08 UNDERWAY AS BEFORE. 0614 °C 173°.

Donald F. Zimmer
D.F. ZIMMER, LTJG, USNR

08-12 UNDERWAY AS BEFORE. 0726 °C 160°. 0730 °C 173°. 0752 °C 17.5KT. 0813 °C 180. 1056 °C 18KT. 1115 MANEUVERING. STEADY 180°. 1135 °C 200°. 1136 MANEUVERING. °C 180°.

J.A. McGrath
J.A. M'GRATH, ENS, USNR

12-16 UNDERWAY AS BEFORE. 1203 °C 5 TO 20 KTS. 1232 °C TO 210°
1548 °C TO 252°T.

Jack E. Helman
LT USN

16-18 UNDERWAY AS BEFORE 1652 °C 237°T. 1707 °C 252°T. 1729 °C 265°T.

William H. Galk
WILLIAM H. GALK
LTJG USNR

18-20 UNDERWAY AS BEFORE. 1753 °C 15 KTS °C 260°. MANEUVERING ON VARIOUS COURSES TO EFFECT SMALL BOAT TRANSFER WITH THE USS ORLECK (DD-886). 1837 °C 10 KTS. 1852 °C 5 KTS. 1853 ALL ENGINES STOPPED. 1902 BOAT TRANSFER COMPLETED. °C 190° °C 10 KTS. 1928 °C 145°T.

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

20-24 UNDERWAY AS BEFORE. 2049 °C 243°. 2108 °C 250°. 2156 °C 243°.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

EXAMINED

Hayne Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1540

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE THURSDAY 3 APRIL, 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM DA NANG, SOUTH VIETNAM TO VUNG TAU, III CORP SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>9°48.8N</u>	BY <u>2</u>	
λ <u>107°04.9E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9°17.3N</u>	BY <u>2</u>	
λ <u>106°43.0E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>10°04.3N</u>	BY <u>2</u>	
λ <u>107°19.7E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY TO THE VICINITY OF VUNG TAU, III CORP SOUTH VIETNAM ON COURSE 243° AT SPEED 10 KTS. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATION LIGHTS. CONDITION OF READINESS I AND MATERIAL CONDITION YOKE IS SET. 0100 C/C TO 260° 0236 C/C TO 110° 0315 C/C TO 270° 0348 C/C 150° 0350 C/C 15 KTS

James A. McGrath
JAMES A. McGRATH
ENS. USNR

04-08 UNDERWAY AS BEFORE. 0410 C/C 154. 0421 C/C SET SPECIAL SEA AND REFUELING DETAIL. 0431 C/C 159. 0442 C/C 050. 0442 C/C 12 KTS, COMMENCED MANEUVERING TO MAINTAIN STATION 1000 YDS ASTERN OF USS TALUGA (AO-62) ON BASE COURSE 044 AT 11 KTS. 0500 C/C 17 KTS, COMMENCED APPROACH TO USS TALUGA, WADDELL'S PORT SIDE TO. 0507 ALONGSIDE USS TALUGA ON BASE COURSE 044 AT 11 KTS. 0516 COMMENCED REFUELING. 0532 SECURED REFUELING. 0541 C/C 046 AND C/C 20 KTS, ALL LINES CLEAR. 0545 C/C 240. 0547 SECURED SPECIAL SEA AND REFUELING DETAIL. 0548 C/C 15 KTS. 0559 C/C 210. 0606 C/C 240. 0700 SET CONDITION OF READINESS II MODIFIED THROUGHOUT THE SHIP.

Jack E. Helmann
LT USN

08-12 UNDERWAY AS BEFORE. 0722 C/C TO 12 KTS. 0730 C/C TO 225° 0959 C/C 210° C/C 20 KTS. 1054 C/C 200. 1104 MANEUVERING TO COME ALONGSIDE THE USS MARS (AFS-1) FOR VERTICAL REPLENISHMENT BASE COURSE 045°, BASE SPEED 12 KTS. 1120 COMMENCED VERTICAL REPLENISHMENT.

William H. Galk
WILLIAM H. GALK
LTJG USNR

12-18 UNDERWAY AS BEFORE. 1215 SECURED FROM VERTICAL REPLENISHMENT WITH USS MARS (AFS-1). SECURED SPECIAL SEA AND VERTREP DETAIL. C/C 335° 1218 C/C 18 KTS. 1254 C/C 345° 1306 C/C 347° 1315 C/C 5 KTS. 1309 C/C 030. 1311 C/C 035° 1316 C/C 040. 1325 C/C 320. 1336 C/C 225° 1348 C/C 3 KTS. 1402 C/C 220. 1406 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 1427 C/C 040, C/C 10 KTS. 1430 C/C 3 KTS. COMMENCED MANEUVERING ON VARIOUS COURSES AT 3 KTS USING 10 KNOTS FOR TURNING WHILE CONDUCTING NGFS. 1446 COMMENCED FIRE. 1724 CEASED FIRE, 146 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 1729 C/C 15 KTS, SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO AVOID FISHING NETS. 1744 C/C 22 KTS. 1747 C/C 070. 1750 C/C 040.

Donald F. Zimmer
D.F. ZIMMER LTJG, USNR

EXAMINED

Hayne Ellis

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WARDELL DDG-24DATE THURSDAY 3 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

¹⁸⁰⁰ 1800-21 UNDERWAY AS BEFORE. 1835 C/C TO $\phi 57^{\circ}$ 1902 TURNED ON
NORMAL NAVIGATION LIGHTS 1948 C/C TO $\phi 45^{\circ}$ 1958 C/C TO $\phi 52^{\circ}$ 2000 C/C
TO $\phi 55^{\circ}$ 2017 C/C TO $\phi 61^{\circ}$

H. Ellis ^{LTJG} USN

21-24 UNDERWAY AS BEFORE. MANEUVERING TO GAIN STATION ON THE
USS CHARA (AE-31) FOR SMALL BOAT TRANSFER. 2127 SECURED THE SPECIAL
SEA AND REARMING DETAIL. 2142 TRANSFER COMPLETED. C/C 231° S 15 KTS.
2145 S 20 KTS. 2207 S 22 KTS. 2217 S 25 KTS. 2229 C/C 218° . 2239 C/C 231°
2347 S/C 229°

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

EXAMINED:

Hayme M. ^{LTJG} U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8(H) DATE FRIDAY 4 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM IV CORPS, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>8° 42.7N</u>	BY <u>2</u>	
λ <u>104° 31.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9° 14.8N</u>	BY <u>2</u>	
λ <u>104° 42.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9° 15.9N</u>	BY <u>2</u>	
λ <u>104° 40.2E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 223° AT BASE SPEED 25KT. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS SPLIT WITH 1B AND 2A BOILERS ON THE LINE AND 1B, 2A, AND 2B SHIPS SERVICE GENERATORS ON THE LINE. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATION LIGHTS. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET. 0017 C 223°. 0045 C 220°. 0114 C 230°. 0219 C 229°T.

W. Duleble
DF DECKBOILER, CTJLWSJ

03-06 UNDERWAY AS BEFORE. 0425 C 248. 0434 C 235. 0449 C 248. 0506 C 258. 0600 C 281.

Donald Zimmer
D.F. ZIMMER, LTJG, USNR

KE 06-09 UNDERWAY AS BEFORE. 0624 C/S TO 20 KTS. 0626 C/S TO 15 KTS. 0632 C TO 315° 0643 C/S TO 18 KTS. C/S TO 16 KTS. 0648 C/C TO 319° 0658 TURNED OFF NORMAL NAVIGATION LIGHTS. 0708 C/C TO 290° 0709 C/C TO 319° 0722 C/C TO 000° 0741 C/C TO 350° 0742 C/C TO 348° 0747 C/C TO 000° 0749 C/C TO 010° 0750 C/C TO 000° 0805 C/C TO 030° 0809 C/C TO 027° 0817 C/C TO 035° 0820 C/C TO 040° 0845 SET FULL CONDITION II AND MATERIAL CONDITION MODIFIED ZEBRA. 0911 C/C TO 050° 0915 C/S TO 8 KTS. 0918 C/C TO 000° 0951 C/S TO 5 KTS. SET MODIFIED CONDITION II AND MATERIAL CONDITION YOKE 0955 C/C TO 180° 1028 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. 1030 C/S TO 8 KTS. 1042 C/C TO 000° 1102 C/C TO 007° C/S TO 16 KTS. 1105 C/C TO 009° 1118 SET MODIFIED CONDITION II AND MATERIAL CONDITION YOKE. 1134 C 000°. 1137 C 5 KTS.

William H. Galk
WILLIAM H. GALK

12-18 UNDERWAY AS BEFORE. 1230 C 165°T. 1301 C 005°T. 1314 C 3 KTS. 1344 C 8 KTS AND C 180. 1345 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED. COMMENCED MANEUVERING TO STEER FIRING COURSE OF 000 AT 3 KTS. 1410 COMMENCED FIRE. 1453 CEASED FIRE, 79 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 1456 C 180. 1502 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1503 C 5 KTS. AND C 200. 1532 C 10 KTS AND C 270. 1530 C 5 KTS AND C 180. 1630 C 000 AND C 10 KTS. 1635 C 5 KTS. 1653 C 000. 1710 C 330. 1715 C 000.

Donald Zimmer
DONALD F. ZIMMER LTJG USNR

EXAMINED

Hayne Ellis
U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL DDG-24DATE FRIDAY 4 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE. 1806 C/C TO 180°. 1910 THE SHIP IS
DARKENED EXCEPT ^{NORMAL} ALL NAVIGATION LIGHTS ARE ON. 1935 C/C TO 000° 2014 C/C
TO 180° 2100 C/S TO 16 KTS

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2108 C/C 204°. 2145 C/C 200°. 2155 C/C 195°. 2210 C/C 205°. 2220 PASSED HON BUONG ISLAND ABEAM TO PORT. 2228 SET THE SPECIAL SEA, REFUELING AND REARMING DETAIL. 2235 C/C 215°T, 1/5 18 KTS. 2238 1/5 20 KTS. 2250 COMMENCED MANEUVERING ON VARIOUS COURSES TO TAKE STATION ALONGSIDE USS CALIENTE (AO-53). BASE COURSE 160°T, BASE SPEED 10 KTS. 2308 ALONGSIDED PORTSIDE TO USS CALIENTE.

William H. Galk

WILLIAM H. GALK

LTJG USNR

EXAMINED:

Hayne Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8CH DATE SATURDAY 5 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM IV CORPS, SOUTH VIETNAM TO _____

POSITION	ZONE	TIME
0800		
L <u>9°-02.5N</u> BY <u>2,3</u>		
λ <u>104°-29.5E</u> BY <u>2,3</u>		

POSITION	ZONE	TIME
1200		
L <u>9°-28.5N</u> BY <u>2</u>		
λ <u>104°-39.0E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>8°-25.1N</u> BY <u>2</u>		
λ <u>104°-36.7E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING ALONG STARBOARD SIDE OF USS CALIENTE (AO-53) WHILE REFUELING AND REARMING OFF THE COAST OF SOUTH VIETNAM ON COURSE 160°T SPEED 8KTS. THE ENGINEERING PLANT IS SPLIT WITH 1A AND 2A BOILERS ON THE LINE. CONDITION THE SPECIAL SEA AND REPLENISHMENT DETAIL IS SET. 0212 COMPLETED REARMING. 0216 ALL LINES CLEAR. 0217 1/5 20KTS. 0219 SECURED THE SPECIAL SEA DETAIL. SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKES. SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATIONAL LIGHTS. 0220 1/6 340°T. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. 1/5 10KTS. 0237 1/6 270°T. 0259 CROSS CONNECTED MAIN ENGINEERING PLANT AND SECURED 1A BOILER. 0300 1/6 300°T.

D.F. Beaulieu
D.F. BEAULIEU, CDR, USN

03-06 UNDERWAY AS BEFORE. 0320 1/6 350°T. 0410 1/6 355°T 0438 1/6 350°T 0530 1/6 355°T. 0557 1/6 350°T.

Donald F. Zimmer
DONALD F. ZIMMER, LTJG USNR

06-09 UNDERWAY AS BEFORE 0658 1/6 TO 0723° 065 ALL NORMAL NAVIGATION LIGHTS FIRE OFF. 0700 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE 1022 1/6 000°T 1119 1/6 180°T

William H. Gank
WILLIAM H. GANK
LTJG USNR

12-18 UNDERWAY AS BEFORE. 1202 1/6 072°. 1214 1/5 5KTS. 1240 1/6 000°. 1241 1/5 3KTS. 1324 1/5 5KTS. 1328 SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 1330 1/5 3KTS. 1337 COMMENCED FIRING CALL FOR FIRE MISSIONS. 1436 1/6 350°. 1500 1/6 170°. 1518 1/6 230° AND 1/5 10KTS. SET CONDITION OF READINESS MODIFIED II AND MATERIAL CONDITION YOKES, CEASED FIRE, 90 ROUNDS OF 5" 54 AMMUNITION EXPENDED. 1529 1/6 200°. 1608 1/6 205°. 1712 1/6 180°.

Donald F. Zimmer
D.F. ZIMMER, LTJG USNR

18-21 UNDERWAY AS BEFORE. 1853 1/6 TO 175° 1854 1/6 TO 180° 1906 1/6 TO 175° 1909 1/6 TO 180° 1912 TURNED ON NORMAL NAVIGATION LIGHTS 1916 1/6 TO 160° 1921 1/6 TO 130° 2013 1/6 TO 101°

EXAMINED

Hayne Elci
HAYNE ELCI, LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1540

USS

Waddell (DDG-24)

DATE

Saturday 5 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

18-21 (CONT)

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

UNDERWAY AS BEFORE

21-24 2111 % 079°T. 2119 % 085°T. 2124 % 079°T. 2135 % 075°T.
2149 % 079°T. 2158 % 085°T. 2310 % 048°T.

William H. Gaik

WILLIAM H. GAIK

LTJG

USNR

EXAMINED:

Hap Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 2100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE SUNDAY 6 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM IV CORPS, SOUTH VIETNAM

POSITION	ZONE	TIME
0800		
L <u>9-46.7N</u> BY <u>2</u>		
λ <u>106-47.8E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>9-47.5N</u> BY <u>2</u>		
λ <u>106-47.5E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>9-40.5N</u> BY <u>2</u>		
λ <u>107-01.5E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ3 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON COURSE Φ48° SPEED 16 KT. THE ENGINEERING PLANT IS CROSS CONNECTED WITH "2B" BOILER ON THE LINE. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YACE ARE SET. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATION LIGHTS. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP.

DF Bull
D.F. BOOKBINE, LTJG, USN

Φ3-Φ6 UNDERWAY AS BEFORE. Φ3Φ8 C/C Φ5Φ°T. Φ32Φ C/C Φ65°T
Φ423 C/C Φ5Φ°T Φ444 C/C Φ42°T Φ6ΦΦ C/C Φ24°T

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

Φ6-12 UNDERWAY AS BEFORE Φ617 C/C TO Φ3Φ° Φ635 C/C TO Φ17°
Φ653 C/S TO 8 KTS. TURNED OFF NORMAL NAVIGATION LIGHTS Φ7Φ1 C/C TO
Φ5Φ° Φ726 C/S TO 12 KTS. Φ727 C/C TO 23Φ° Φ731 C/S TO 8 KTS. Φ736
SET FULL CONDITION II AND MATERIAL CONDITION MODIFIED ZEBRA. Φ8Φ4
C/S TO 3 KTS. C/C TO Φ3Φ° Φ824 C/C TO Φ4Φ° 1Φ13 C/C 22Φ°T 11ΦΦ
C/C Φ6Φ°T 1111 C/C Φ55°T. 1119 C/C Φ4Φ°T.

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

12-15 UNDERWAY AS BEFORE. 1216 C/C Φ6Φ°. 1244 C/C Φ8Φ°. 1332 C/C Φ7Φ°. 1355 C/C 1ΦΦ°. 14Φ3 C/C 11Φ°.

DF Bull
D.F. BOOKBINE, LTJG, USN

15-18 UNDERWAY AS BEFORE. 153Φ C/C Φ8Φ°T. 1714 C/S 15 KTS. 1715
C/C 26Φ°T 1717 C/S 8 KTS.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

18-21 UNDERWAY AS BEFORE 1837 C/S TO 12 KTS. 1838 C/C TO Φ8Φ°
1846 C/S TO 8 KTS. 1851-5 191Φ TURNED ON NORMAL NAVIGATION LIGHTS.
1911 THE SHIP IS DARKENED 1944 C/S TO 12 KTS. 1945 C/C TO 25Φ° 1949
C/S TO 8 KTS. 2023 C/C TO 253°

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

EXAMINED.

Hayne Ellis LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE SUNDAY 6 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

21-24 UNDERWAY AS BEFORE 2105 EXTINGUISHED ALL NAVIGATION LIGHTS. THE SHIP IS COMPLETELY DARKENED. 2205 % 255°T. 2252 % 230°T. 2300 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 2320 COMMENCED FIRING ON SELECTED HARASSMENT TARGETS ASHORE. 2333 CEASED FIRING, TOTAL ROUNDS EXPENDED, 9 5"/54 AAC, 2 5"/54 HC, 1 5"/54 HE. 2334 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 2336 % 055°T.

William H. Gaik

WILLIAM H. GAIK

LTJG USNR

EXAMINED:

Hayne EllisTM LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE Monday 7 April 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM III Corps, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>9°30.2N</u>	BY <u>2</u>	
λ <u>106°32.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>9°32.4N</u>	BY <u>2</u>	
λ <u>106°4.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>9°39.0N</u>	BY <u>2</u>	
λ <u>107°02.3E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

06-06 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 230° AND BASE SPEED 8 KT. SOPA AND OTZ IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED WITH "2B" BOILER ON THE LINE. THE ELECTRICAL LOAD IS PARALLELED ON GENERATORS "1B", "2B", AND "2A." THE SHIP IS COMPLETELY DARKENED. THE SHIP IS AT CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE IS SET. 0616 CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED SET. 0617 C/S 15 KT. 0618 C 230°. 0620 C/S 8 KT. 0630 COMMENCED HARRASSMENT FIRE AS ORDERED. 0640 C/S 15 KT. 0641 C 045°. 0643 C 060°. 0652 C 230°. 0654 C/S 5 KT. 0733 C/S 15 KT. 0735 C 060°. 0737 C/S 5 KT. 0741 C 040°. 0748 C/S 8 KT. 0745 C 070°. 0723 CEASED FIRING HAVING EXPENDED 36 ROUNDS 5"/54 AAC PROJECTILES AND 36 ROUNDS FULL SERVICE NACO POWDER CHARGES. 0725 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET. 0757 TURNED ON BRIGHT NAVIGATION LIGHTS. 0814 C/S 15 KTS. 0815 C 245. 0816 C/S 8 KTS. 0840 C 255. 0842 C 250.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

06-12 UNDERWAY AS BEFORE. 0648 TURNED OFF ALL NORMAL NAVIGATION LIGHTS. 0715 C/C TO 055°. 0730 C/C TO 050°. 0739 C/C TO 055°. 0813 C/C TO 230°. 0813 C/S TO 12 KTS. 0814 C/S TO 8 KTS. 0819 SET FULL CONDITION II AND MATERIAL CONDITION MODIFIED ZEBRA. 0826 C/S TO 12 KTS. C/C TO 040°. 0830 C/S TO 8 KTS. 0836 C/C TO 060°. 0837 C/S TO 6 KTS. 0838 C/S TO 3 KTS. 0847 COMMENCED FIRING FOR CALL FIRE. 0901 C/S TO 6 KTS. 0904 C/S TO 3 KTS. C/C TO 035°. 0926 C/S TO 8 KTS. C/C TO 060°. 0927 C/S TO 3 KTS. 1017 C/S 5 KTS. C 075°. 1022 C/S 3 KTS. C 060°. 1116 CEASED FIRE. EXPENDED 169 ROUNDS 5"/54 HIGH EXPLOSIVE PROJECTILES WITH 169 ROUNDS FULL SERVICE FLASHLESS POWDER CARTRIDGES. 1119 C 085°. 1120 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1124 C 075°.

William H. Gair
WILLIAM H. GAIR
LTJG USNR

12-15 UNDERWAY AS BEFORE. 1300 THE SUMMARY COURT-MARTIAL, LT. JACK E. HELMANN, USN, OPENED IN THE CASE OF JAMES E. DOCTOR, SA, B73-36-48, USN. 1330 THE SUMMARY COURT-MARTIAL OF JAMES E. DOCTOR RECESSED UNTIL 1400 1419 C/C 070°. 1420 ADJOURNED THE SUMMARY COURT-MARTIAL, LT. JACK E. HELMANN, USN, IN THE CASE OF JAMES E. DOCTOR TO AWAIT THE

EXAMINED

Harvey Ellis LTJG U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS

Waddell (DDG-24)

DATE

Monday 7 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

ACTION OF THE ~~COM~~ CONVENING AUTHORITY.

WKS

D.F. Berkeley, USN
D.F. BERKELEY, USN15-18 UNDERWAY AS BEFORE. 1606 ∇ 15 KTS. 1609 ∇ 255° 1610 ∇ 8 KTS.
1734 ∇ 15 KTS. 1735 ∇ 070° 1737 ∇ 8 KTS.Donald F. Zimmer

DONALD F. ZIMMER USN

18-21 UNDERWAY AS BEFORE 1910 TURNED ON NORMAL NAVIGATION LIGHTS.
1925 ∇ 256° ∇ 12 KTS. 1930 ∇ 8 KTS.D.W. Taylor

D.W. TAYLOR LTJG, USN

21-24 UNDERWAY AS BEFORE. 2113 EXTINGUISHED ALL NAVIGATION LIGHTS.

THE SHIP IS COMPLETELY DARKENED. 2209 ∇ 250° 2222 ∇ 10 KTS.2227 ∇ 260° 2258 ∇ 230° ∇ 8 KTS. 2300 SET CONDITION OF READINESS II

AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 2310 COMMENCED

FIRED HARRASSMENT FIRE 2341 ∇ 050° 0005 ∇ 040° 0010 ∇ 020° 0013 ∇ 050°William H. Gaik

WILLIAM H. GAIK

LTJG USN

EXAMINED:

Hayne Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE TUESDAY 8 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM III CORPS, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>10°05.7N</u> BY <u>2</u>		
λ <u>107°17.8E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>10°40.3N</u> BY <u>2</u>		
λ <u>108°01.6E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>10°56.5N</u> BY <u>2</u>		
λ <u>108°31.1E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 050° AND BASE SPEED 8 KT. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED ON "1B" BOILER AND THE ELECTRICAL LOAD IS PARALLELED ON "1B", "2B", AND "2A" GENERATORS. SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED ARE SET. 0030 C 230° 1/2 12 KT. 0033 C 8 KT. 0114 C 15 KT. 0115 C 030° 0130 C 230° 0133 C 8 KT. 0140 C 5 KT. 0154 C 8 KT. 0208 C 45° 1/2 12 KT. 0211 C 8 KT. 0220 CEASED FIRING HAVING EXPENDED 56 ROUNDS 5" 54 PROJECTILES AND 56 ROUNDS FULL SERVICE NACO POWDER CHARGES. 0221 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET. C 060° 0235 ALL NAVIGATION LIGHTS TURNED ON BRIGHTLY.

[Signature]
D.F. BORKBULE, LTJG, USN

03-06 UNDERWAY AS BEFORE. 0428 C 12 KTS. 0600 C 16 KTS C 030°

[Signature]
DONALD F. ZIMMER LTJG USNR

06-09 UNDERWAY AS BEFORE. 0648 TURNED OFF NORMAL NAVIGATION LIGHTS 0703 C TO 025° 0715 SET SPECIAL SEA AND REARMING DETAIL 0728 C TO 17 KTS. 0729 C TO 065° 0731 C TO 090° 0733 C TO 088° 0734 C TO 089° COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO MAKE APPROACH TO U.S.S. PARACUTIN (AE-18) AND MAINTAIN STATION ALONGSIDE. 0753 COMMENCED TRANSFER. 0841 S2 COMPLETED TRANSFER. 0846 C TO 18 KTS. 0849 C TO 091° SECURED SPECIAL SEA AND REARMING DETAIL 0849 C TO 16 KTS. 0851 C TO 048°. 0909 C 051°. 0911 C 18 KTS.

[Signature]
D.W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE. 0926 C 049°. 0938 C 18 KTS. 0945 C 16 KTS. 1054 C 033°.

[Signature]
WILLIAM H. GAIN
LTJG USNR

12-15 UNDERWAY AS BEFORE. 1218 C 8 KTS. 1220 C 070°. 1300 COMMENCED EXERCISING THE CREW AT GENERAL QUARTERS. 1305 MATERIAL CONDITION ZEBRA SET THROUGHOUT THE SHIP. 1316 C 250°. 1319 MATERIAL CONDITION CIRCLE WILLIAM SET THROUGHOUT THE SHIP. 1335 SET MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. 1356 COM MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP. 1357 SECURED

EXAMINED

[Signature]
HAYNE ELLIS LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS

Waddell (DDG-24)


DATE

Tuesday 8 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED


FROM EXERCISE AT GENERAL QUARTERS, SET CONDITION OF READINESS MODIFIED II. 1405 % 070.

1428 % 060° T. % 16 KTS. 1458 % 065.



 D.F. PERKINS, LTJG, USN

15-18 UNDERWAY AS BEFORE. 1513 % 040. 1644 % 070 AND % 8 KTS. 1644 % 12 KTS. 1648 % 250.


1651 % 8 KTS. 1742 % 12 KTS. 1743 % 070. 1745 % 8 KTS.


 D. F. ZIMMER, LTJG, USNR

18-24 UNDERWAY AS BEFORE. 1746 % 5 TO 8 KTS. 1843 % 250° + 1857 WAVE
 1912 % 110° 1938 % 275° % 5 TO 12 KTS. 2003 % 5 TO 8 KTS. 2058
 % 5 TO 12 KTS. 2100 % 070° SET CONDITION OF READINESS II AND
 MATERIAL CONDITION MODIFIED ZEBRA. 2102 % 5 TO 8 KTS. 2114 COMMENCED
 HARRASSMENT FIRE. 2206 % 5 TO 12 KTS. 2207 % 250° % 5 TO 8 KTS. 2252
 % 5 TO 12 KTS. 2256 % 060° 2310 COMPLETED HARRASSMENT FIRE HAVING
 FIRED 105 1/4 HIGH EXPLOSIVE AMMUNITION. 2311 SET MODIFIED CONDITION
 II AND MATERIAL CONDITION YOKO. % 070°. 2355 % 12 KTS. 2358 % 250°.
 2400 % 8 KTS.


 WILLIAM H. GAIK
 LTJG USNR

EXAMINED:



U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8 (H) DATE WEDNESDAY 9 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM III CORPS, SOUTH S TO Vietnam

POSITION	ZONE	TIME
0800		
L <u>10°-59.2N</u> BY <u>3</u>		
λ <u>108°-27.6E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>11°-00.5N</u> BY <u>3</u>		
λ <u>108°-28.1E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>10°-55.0N</u> BY <u>2</u>		
λ <u>108°-25.4E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 250° AND BASE SPEED 8 KT. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS SPLIT WITH "2A" AND "1B" BOILERS ON THE LINE. THE ELECTRIC LOAD IS PARALLELED ON "1B," "2B," AND "2A" SHIP'S SERVICE GENERATORS ON THE LINE. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET. 0858 1/4 070° 0100 CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA SET. 0118 COMMENCED FIRE HARRASSMENT FIRE ON ASSIGNED TARGETS. 0140 1/4 250° 0201 CEASED FIRE HAVING EXPENDED 10 ROUNDS 5"/54 PROJECTILES AND 10 ROUNDS FULL SERVICE NACO POWDER CHARGES. 0202 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET. 0203 1/4 230° 0229 1/4 070° 0235 NORMAL BRIGHT NAVIGATION LIGHTS ENERGIZED. 0240 1/4 080° 0244 1/4 090° 0313 1/4 250°

D.F. Beebe
D.F. BEEBE, LTJG, USN

03-06 UNDERWAY AS BEFORE. 0358 1/4 070° 0452 1/4 180° 0509 1/4 270° 0549 1/4 070°

Donald Zimmer
D.F. ZIMMER, LTJG, USNR

06-09 UNDERWAY AS BEFORE 0644 TURNED OFF NAVIGATION LIGHTS. 1/4 STO 12 KTS. 1/4 C TO 250° 0649 1/4 STO 8 KTS. 0704 1/4 C TO 030° 0800 1/4 C TO 250° 0837 1/4 C TO 070°

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE. 0930 1/4 250° 1030 1/4 060° 1110 CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA SET. 1116 1/4 8 KT. 1123 COMMENCED FIRING AT TARGET ASSIGNED BY AERIAL OBSERVER. 1152 1/4 3 KTS.

William H. Galt
WILLIAM H. GALT, LTJG, USNR

12-15 UNDERWAY AS BEFORE. 1201 1/4 040° 1203 MANEUVERING COMBINATION STE AHEAD 1/3 P/E STOP. 1204 1/4 3 KT. 1206 CEASED FIRING HAVING EXPENDED 40 ROUNDS 5"/54 PROJECTILES AND 40 ROUNDS FULL SERVICE NACO SERVICE CHARGES. 1214 1/4 235° 1/4 8 KT. 1231 1/4 230° 1316 1/4 055° 1323 1/4 080° 1403 1/4 060° 1427 1/4 245°

EXAMINED

Hayre Ellice
U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE WEDNESDAY 9 APRIL 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

D.F. Beckwith
D.F. BECKWITH, LTJG, USNR

15-18 UNDERWAY AS BEFORE. 1500 γ 186 AND γ 15 KTS. 1630 γ 202. 1638 γ 202 KTS. 1700 γ 215. 1706 γ 225. 1708 γ 240, SET LIFEGUARD DETAIL. 1714 γ 035, MANEUVERING TO REMAIN ON LIFEGUARD STATION FOR USS NAVASOTA (AO-106) AND USS AGERHOLM (DD-826). 1730 SET SPECIAL SEA AND REFUELING DETAIL. 1732 γ 17 KTS, SECURED LIFEGUARD DETAIL. 1740 ALONGSIDE USS NAVASOTA, PORT SIDE TO, BASE COURSE 053, SPEED 12 KTS. 1753 COMMENCED REFUELING. 1814 SECURED FROM REFUELING.

Donald Zimmer

D.F. ZIMMER, LTJG, USNR

WAB

~~06-09~~ 18-21 UNDERWAY ALONGSIDE U.S.S. NAVASOTA (AO-106) MANEUVERING VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION. 1834 COMPLETED TRANSFER 1838 γ 65° SECURED SPECIAL SEA AND REARMING DETAIL. 1839 γ 355° 1842 γ 15 KTS. 1857 TURNED ON NORMAL NAVIGATION LIGHTS. 1917 TURNED OFF NORMAL NAVIGATION LIGHTS. 2000 γ 70° 2000 γ 8 KTS. 2030 γ 250°

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2134 γ 70° T. 2141 γ 250° T. 2154 γ 60° T. 2230 SET CONDITION OF READINESS AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 2240 COMMENCED FIRING ON SELECTED HARASSMENT TARGETS ASHORE. 2330 γ 240° T.

William H. Gaik

WILLIAM H. GAIK

LTJG USNR

EXAMINED:

Hayne Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE THURSDAY 10 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM III CORPS, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>10° 54.5'N</u>	BY <u>3</u>	
λ <u>108° 24.8'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>11° 00.9'N</u>	BY <u>3</u>	
λ <u>108° 27.8'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>10° 46.5'N</u>	BY <u>2</u>	
λ <u>108° 39.4'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 240° AND BASE COURSE SPEED 8 KT. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED ON "1B" BOILER AND THE ELECTRIC LOAD IS PARALLELED ON "1B", "2B", AND "2A" SHIP'S SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA ARE SET. 0010 CEASED FIRING ON ASSIGNED TARGETS HAVING EXPENDED 18 ROUNDS 5"/54 PROJECTILES AND 18 ROUNDS FULL SERVICE NACO POWDER CHARGES. 0011 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET. 0019 C/C 060° 0130 C/C 240° 0217 C/C 060° 0229 C/C 050° 0231 C/C 040° 0232 C/S A/E STOP. C/S A/E BACK 2/3. C/S A/E AHEAD 2/3 FOR 8 KT. C/C 080° 0240 C/C 065°

DF Berkebile, LTJG, USN

03-06 UNDERWAY AS BEFORE. 0316 C/C 240° 0342 C/S 12 KTS. 0345 C/S 8 KTS. 0346 SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 0406 RESUMED HARRASSMENT FIRE. 0414 C/C 060° 0445 C/C 240° 0506 CEASED FIRE, 12 ADDITIONAL ROUNDS OF 5"/54 AMMUNITION EXPENDED. 0507 SET MODIFIED CONDITION OF READINESS II AND MATERIAL CONDITION YOKE. 0507 C/C 140° 0541 ENERGIZED BRIGHT NAVIGATIONAL LIGHTS. 0545 C/C 175° T.

Ronald F. Zimmerman
RONALD F. ZIMMERMAN LTJG USN R

06-09 UNDERWAY AS BEFORE. 0610 C/C TO 070° 0619 C/C TO 250° 0643 C/C TO 310° 0645 TURNED OFF NAVIGATION LIGHTS. 0731 C/C TO 070° 0802 C/C TO 060° 0845 C/C TO 250°

D.W. Taylor
D.W. TAYLOR, LTJG, USN R

09-12 UNDERWAY AS BEFORE. 0936 C/C 050° 1006 C/S 3 KTS. 1024 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 1030 COMMENCED CALL FIRE MISSION ON SHORE TARGETS. 1044 C/C 035° 1154 CEASED FIRE. AMMUNITION EXPENDED: 91 ROUNDS 5"/54 CAL. HIGH EXPLOSIVE PROJECTILES WITH 91 ROUNDS FULL SERVICE FLASHLESS POWDER CHARGES. C/C 215° C/S 12 KTS. C/S 15 KTS. 1158 C/S 3 KTS.

William H. Galk
WILLIAM H. GALK
LTJG USN R

EXAMINED

Hayne Ellis

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE THURSDAY 10 APRIL, 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

12-15 UNDERWAY AS BEFORE. 1207 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE. 1/5 8 KTS. 1230 1/2 240°T. 1255 1/2 060°T. 1410 1/2 240°T.

D. F. Beckwith
D. F. BECKWITH, LTJG USN

15-18 UNDERWAY AS BEFORE. 1514 1/2 060°T. 1638 1/2 240°T. 1735 1/5 15 KTS. 1/2 115°T. 1740 1/2 150°T. 1751 DEPART STATION FOR UNREP WITH USS MT. BAKER (AE-4).

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

18-21 UNDERWAY AS BEFORE. 1820 1/2 TO 145° COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO MAKE APPROACH AND MAINTAIN STATION TO U.S.S. MT. BAKER. 1845 COMMENCED TRANSFER. 1929 COMPLETED TRANSFER. 1930 SECURED FROM SPECIAL SEA AND REARMING DETAIL. 1931 1/2 TO 302° 1932 DEPARTED FROM ALONGSIDE U.S.S. MT. BAKER. 1933 1/2 TO 15 KTS. 2044 1/2 TO 8 KTS. 2045 1/2 TO 070°.

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2118 1/2 250°. 2200 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 2206 1/2 070°. 2215 COMMENCED HARASSMENT FIRE ON SHORE TARGETS. 2248 1/2 250°. 2319 1/2 070°. 2337 CEASED FIRE. AMMUNITION EXPENDED: 18 ROUNDS 5"/54 CAL HIGH EXPLOSIVE PROJECTILES WITH 18 ROUNDS FULL SERVICE POWDER CHARGES. 2339 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP.

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

EXAMINED:

Hayne Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE FRIDAY 11 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM III CORPS, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>10° 56.5'N</u> BY <u>3</u>		
λ <u>108° 25.9'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>10° 51.9'N</u> BY <u>3</u>		
λ <u>108° 22.8'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>10° 57.2'N</u> BY <u>2</u>		
λ <u>108° 22.1'E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-06 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 250° AND BASE SPEED 8 KT. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED WITH "2A" BOILER ON THE LINE AND THE ELECTRIC LOAD IS PARALLELED ON "1B," "2B," AND "2A" SHIP'S SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET 0802 C/L 250°. 0850 C/L 070°. 0941 C/L 250°. 0938 C/L 060°. 0930 SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 0937 COMMENCED HARRASSMENT FIRE. 0942 C/L 240°. 0945 C/L 060°. 0943 CEASED FIRE, 12 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 0945 SET CONDITION OF READINESS MODIFIED II AND MATERIAL CONDITION YOKE. 0948 C/L 125°. 0948 C/L 240°. 0942 C/L 060°. 0943 ENERGIZED BRIGHT NAVIGATION LIGHTS. *RL*

Ronald F. Zimmer

RONALD F. ZIMMER LTJG USNR

06-09 UNDERWAY AS BEFORE 0630 C/L TO 240° 0705 C/L TO 060° 0739 C/L TO 100° 0749 C/L TO 060° 0811 C/L TO 240° 0850 C/L TO 060°

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE. 0940 C/L 240°. 1012 C/L 060°. 1017 C/L 3 KTS. 1032 SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 1033 C/L 200° AND C/L 10 KTS. 1036 C/L 3 KTS. 1101 COMMENCED FIRING CALL FOR FIRE MISSION. 1152 CEASED FIRE, 56 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 1155 C/L 130° AND C/L 8 KTS. 1200 SET CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP.

William H. Gaik

WILLIAM H. GAIK, LTJG USNR

12-15 UNDERWAY AS BEFORE. 1209 C/L 040°. 1215 C/L 270°. 1221 C/L 120°. 1253 C/L 150°. 1323 C/L 335°. 1422 C/L 350° AND C/L 15 KTS. 1438 C/L 240° AND C/L 3 KTS. 1440 SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 1455 COMMENCED FIRING CALL FOR FIRE MISSION.

Hayne Ellis LTJG USNR
D.F. BERKEGHE, LTJG, USN

15-18 UNDERWAY AS BEFORE WITH A CALL FOR FIRE IN PROGRESS. 1556 C/L 060°. C/L 10 KTS. 1557 C/L 055°. C/L 8 KTS. 1628 CEASED FIRING HAVING EXPENDED 87 ROUNDS 5"/54 PROJECTILES AND 87 ROUNDS FULL SERVICE NACO POWDER CHARGES. 1637 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET. 1630 C/L 070°. 1654 C/L 065°. C/L 070°. C/L 065°. 1710 C/L 250°. 1714 C/L 220°. 1723 C/L 250°.

Ronald F. Zimmer D.F. ZIMMER LTJG USNR

EXAMINED

Hayne Ellis LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE FRIDAY 11 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

18-21 UNDERWAY AS BEFORE 1757 C/L TO $\phi 7\phi^\circ$ 1844 C/L TO $21\phi^\circ$ 1846 C/L TO $26\phi^\circ$
1905 SET DARKENED SHIP 1921 C/L TO $29\phi^\circ$ 1954 C/L TO $\phi 6\phi^\circ$ 2044 C/L TO $24\phi^\circ$

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2145 % $\phi 5\phi^\circ$. 2217 % $\phi 65^\circ$. 2235 % $24\phi^\circ$.
2325 % $\phi 6\phi^\circ$.

William H. Gaik

WILLIAM H. GAIK

LTJG USNR

EXAMINED:

Hagene Ellis

LTJG

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8 (H) DATE SATURDAY 12 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM III CORPS, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>10°-46.0N</u>	BY <u>2</u>	
λ <u>108°-22.0E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>10°-54.8N</u>	BY <u>3</u>	
λ <u>108°-21.8E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>10°-57.4E</u>	BY <u>2</u>	
λ <u>108°-27.2H</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 060° AND BASE SPEED 8 KTS. JOPA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED ON "2A" BOILER AND THE ELECTRICAL LOAD IS PARALLELED ON "1B," "2B," AND "2A" SHIPS SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET. 0802 C/C 240° 0826 C/C 060° 0805 C/C 240° 0823 C/C 060° 0830 NORMAL BRIGHT NAVIGATIONAL LIGHTS ENERGIZED. 0835 C/C 155° 0825 C/C 230° 0824 C/C 240° 0828 C/C 050°

DF Bullock
D.F. BULLOCK, LTJG, USN

03-06 UNDERWAY AS BEFORE. 0352 C/C 250° 0446 C/C 070° C/S 999 RPM FOR MANEUVERING 0450 C/S 8 KTS. 0540 C/C 250° 0600 C/S 12 KTS C/C 219. DEPARTED STATION FOR UNREP WITH USS TOLOVANA (AO 64)

Donald F. Zimmer
DONALD F. ZIMMER, LTJG, USNR

06-09 UNDERWAY AS BEFORE. 0612 C/S TO 18 KTS. 0637 TURNED OFF NORMAL NAVIGATION LIGHTS. 0642 C/C TO 230° 0644 C/C TO 231° 0648 C/C TO 230° 0652 SET SPECIAL SEA AND REFUELING DETAIL. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO MAKE APPROACH AND MAINTAIN STATION TO U.S.S. TOLOVANA. 0720 ALONGSIDE U.S.S. TOLOVANA AND COMMENCED TRANSFER. 0757 COMPLETED UNREP TRANSFER. C/S TO 20 KTS. C/C TO 054° 0758 C/C TO 056° 0809 SECURED SPECIAL SEA AND REFUELING DETAIL. C/C TO 060° 0800 C/C TO 065° 0801 C/C TO 070° 0803 C/C TO 030° 0805 C/C TO 060° C/C TO 250° 0806 C/C TO 340° 0811 C/S TO 12 KTS. 0842 C/S TO 8 KTS. C/C TO 070° 0852 C/C 060°

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE. 0943 C/C 240° 1013 C/S 3 KTS. 1020 CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED SET. 1059 COMMENCED FIRING ON TARGETS PROVIDED BY AERIAL SPOTTER. 1133 CEASED FIRING HAVING EXPENDED 73 ROUNDS 5"/54 PROJECTILES AND 73 ROUNDS FULL SERVICE NACO POWDER CHARGES. 1135 C/C 060° C/S 8 KTS. 1139 C/S 3 KTS. 1146 CONDITION OF READINESS MODIFIED II AND MATERIAL CONDITION YOKE SET. 1148 C/C 090° 1149 C/S 8 KTS.

William H. Galk
WILLIAM H. GALK, LTJG, USNR

EXAMINED

Hayne Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE SATURDAY 12 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

12-15 UNDERWAY AS BEFORE. ¹²⁰⁰1200 C 060°. 1210 C 270°. 1250 C 240°. ^{PM} 1330 C 245°. 1334 C 070°. 1340 C 055°. 1347 C 050°. 1353 C 055°. 1354 C 045°. 1408 C 170°. 1/2 18 KTS. 1409 C 190°. 1422 C 180°. 1431 C 000° T. 1/2 10 KTS. 1444 C 190° T.

D.F. Behrman
D.F. BEHRMAN, LTJG, USN

15-18 UNDERWAY AS BEFORE. 1500 1/2 20 KTS. 1510 C 210°. 1543 1/2 15 KTS. 1547 C 240°. 2B BOILER ON LINE, SECURED 2A BOILER, PLANT SPLIT ON 1A AND 2B. 1555 SET SPECIAL SEA AND REPLENISHMENT DETAIL, C 255. 1601 C 245. 1603 C 240. 1604 C 235. 1607 COMMENCED MANEUVERING TO APPROACH USS ALUDRA (AF-55). 1616 ALONGSIDE USS ALUDRA, PORT SIDE TO, BASE COURSE 065 AT 12 KTS. 1640 ALL LINES CLEAR, 1/2 20 KTS, C 060. 1643 SECURED SPECIAL SEA AND REPLENISHMENT DETAIL. 1644 C 060. 1646 1/2 16 KTS. 1704 C 061. 1707 C 062. 1710 C 060. 1711 C 064. 1748 1/2 8 KTS C 060° T.

Donald F. Zimmer

DONALD F. ZIMMER LTJG USNR

18-21 UNDERWAY AS BEFORE. 1808 C TO 065°. 1827 C TO 250°. 1838 C TO 240°. 1850 SET DARKENED SHIP. 1910 C TO 065°. 1953 C TO 245°. ¹⁹⁵⁴1954 C TO 065°.

D.W. Taylor

D.W. TAYLOR, LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2112 C 245°. 2145 C 060°. 2150 SET CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 2203 COMMENCED HARRASSMENT FIRE ON SELECTED SHORE TARGETS. 2217 C 240°. 2230 1/2 6 KTS. 2301 C 060°. 2311 1/2 8 KTS. 2332 CEASED FIRE. AMMUNITION EXPENDED: 12 ROUNDS 5"/54 HIGH EXPLOSIVE PROJECTILES WITH 12 ROUNDS FULL SERVICE NACO POWDER CHARGES. 2335 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 2346 C 240°.

William H. Gair

WILLIAM H. GAIR

LTJG USNR

EXAMINED:

Hayne Mc

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADELL (DDG-24) ZONE DESCRIPTION -8(H) DATE SUNDAY 13 APRIL 1969
(Day) (Date) (Month)
AT/PASSAGE FROM III Corps, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>10°55'1N</u>	BY <u>3</u>	
λ <u>108°24'6E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>10°46.2N</u>	BY <u>3</u>	
λ <u>108°12.9E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>10°46.5N</u>	BY <u>2</u>	
λ <u>108°42.2E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 240° AND BASE SPEED 8 KT. SOPA AND OTC IS COMMANDING OFFICER THIS SHIP THE ENGINEERING PLANT IS SPLIT WITH "1A" AND "2B" BOILERS ON THE LINE AND THE ELECTRICAL LOAD IS PARALLELED ON "1B", "2B" AND "1A" SHIPS SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS MODIFIED II AND MATERIAL CONDITION YOKE ARE SET. 0816 1/2 060° 0833 1/2 050° 0840 1/2 240° 0857 CONDITION OF READINESS II AND MATERIAL CONDITION ZEBRA MODIFIED SET. 0900 1/2 060° 0910 COMMENCED FIRING ON ASSIGNED TARGETS FOR HARRASSMENT. 0918 1/2 240° 1/2 3KT. 0920 1/2 055° 0925 CEASED HARRASSMENT FIRE HAVING EXPENDED 18 ROUNDS 5"/54 CVT PROJECTILES AND 18 ROUNDS FULL SERVICE NACO POWDER CHARGES. 0919 1/2 1/2 999 RPM FOR MANEUVERING. 0919 1/2 8KT. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET. 0930 1/2 195° 0934 1/2 200° 0955 1/2 240° 0955 1/2 200° 0955 1/2 205°

[Signature]
D.F. BOBBINS, LTJG, USN

09-06 UNDERWAY AS BEFORE. 0915 1/2 3KTS 1/2 270°T. 0943 1/2 8KTS 1/2 050°T. 0945 1/2 5KTS 0949 1/2 3KTS 0946 1/2 100°T. 0955 1/2 8KTS 1/2 270°T. 0958 1/2 3KTS. 0959 1/2 5KTS 1/2 020°T. 0955 1/2 3KTS.

[Signature]
DONALD F. ZIMMER, LTJG, USNR

09-09 UNDERWAY AS BEFORE. 0637 TURNED OFF NORMAL NAVIGATION LIGHTS. 0705 1/2 TO 170° 0730 1/2 TO 8KTS. 0738 1/2 TO 030° 0745 1/2 TO 020° 0755 1/2 TO 000° 0811 1/2 TO 065°

[Signature]
D.W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE. 0900 1/2 245°. 1020 1/2 225°T, 1/2 8KTS. 1109 1/2 220°T. 1120 1/2 215°T. 1139 1/2 220°T.

[Signature]
WILLIAM H. GAIK, LTJG, USNR

12-15 UNDERWAY AS BEFORE. 1200 1/2 225. 1210 1/2 270°. 1222 1/2 000°. 1308 1/2 180°. 1315 1/2 190°. 1320 1/2 180°. 1330 1/2 000°. 1334 1/2 5KT. 1402 1/2 180°. 1423 1/2 000°. 1429 1/2 3KT. 1434 1/2 AFT STOP.

EXAMINED

[Signature] U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE SUNDAY 13 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

15-18 UNDERWAY AS BEFORE. 1440 MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE COAST ~~GUARD~~ VESSEL IS ALONGSIDE OUR STARBOARD QUARTER. 1546 THREE PERSONNEL FROM THIS SHIP BOARDED COAST GUARD VESSEL LTJG McGRATH 733451, RDI FIETZER 459910, FTM3 CARPENTER B 110248. 1549 ALL LINES ARE CLEAR. 1551 C/S 5 KTS C/C 180° T 1559 C/C 190° T 1600 C/C 170° T 1614 C/S 2 KTS 1621 C/S 5 KTS 1658 C/C 070° T 1701 C/C 068° T 1702 C/S 8 KTS DEPARTED STATION FOR UNREP WITH USS MT. BAKER (AE-4) BASE COURSE 074° T BASE SPEED 20 KTS. 1703 C/S 15 KTS. 1715 C/S 20 KTS 1719 C/C 075° T 1724 C/C 074° T. 1725 C/C 073° T. 1728 C/C 074° T 1736 C/C 075° T 1737 C/C 074° T.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

18-21 UNDERWAY AS BEFORE. 1759 C/S TO 15 KTS. 1837 C/C TO 070° 1840 C/C TO 074° 1849 C/C TO 070° 1855 C/C TO 075° 1858 TURNED ON VORBIAC NAVIGATION LIGHTS. 1908 SET SPECIAL SEA AND REARMING DETAIL COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO MAKE APPROACH AND MAINTAIN STATION TO U.S.S. MT. BAKER. 1944 COMMENCED TRANSFER. 2045 COMPLETED TRANSFER. C/C TO 235° C/S TO 20 KTS. 2046 C/C TO 236° 2047 SECURED SPECIAL SEA AND REARMING DETAIL 2048 C/C TO 245° 2049 C/C TO 261° C/S TO 15 KTS. 2056 C/C TO 266° 2102 C/C TO 261

D.W. Taylor
D.W. TAYLOR LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2152 C/C 270°. 2200 C/C 261°. 2217 C/C 225°. 2235 C/C 270°. 2241 C/C 251°. 2252 C/C 268°. 2258 C/C 265° 2300 C/C 10 KTS 2304 C/C 8 KTS. 2314 C/C 130°.

William H. Galk
WILLIAM H. GALK
LTJG USNR

EXAMINED:

Hayne Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE MONDAY 14 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM III CORPS, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>10°45.7N</u> BY <u>2</u>		
λ <u>108°10.5E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>11°13.5N</u> BY <u>2</u>		
λ <u>109°00.0E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>11°25.1N</u> BY <u>2</u>		
λ <u>109°15.2E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH CONSEQUENTLY QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 130° AND BASE SPEED 8 KT. SOFA AND OTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED ON "1A" BOILER AND THE ELECTRICAL LOAD IS PARALLELED ON "1B," "2B," AND "1A" SHIP'S SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATIONAL LIGHTS. CONDITION OF READINESS MODIFIED II AND MATERIAL CONDITION YOKO ARE SET. 0812 1/2 310° 0828 1/2 325° 0845 1/2 140° 0848 1/2 190° 0853 1/2 145° 0858 1/2 200° 0903 1/2 210° 0913 1/2 230° 0922 1/2 075° 0934 1/2 250° 0953 1/2 055° 0955 1/2 050° 0959 1/2 035° 1000 1/2 180° 1001 1/2 220° 1011 1/2 000° 1013 1/2 010°

D.F. Beckwith
D.F. BECKWITH, LTJG, USNR

03-06 UNDERWAY AS BEFORE. 0330 1/2 3 KTS. 0420 1/2 355° 0450 1/2 170° 0552 1/2 000°

Donald Zimmer
D.F. ZIMMER, LTJG, USNR

06-09 UNDERWAY AS BEFORE 0729 1/2 TO 200° 0737 1/2 TO 125° 0755 1/2 TO 15 KTS. 0800 1/2 TO 085° 0831 1/2 TO 070° 0847 1/2 TO 073° 0854 1/2 TO 070° 1040

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

09-12 UNDERWAY AS BEFORE. 0925 1/2 060° 0935 1/2 048° 0938 1/2 070° 0954 1/2 080° 0959 1/2 070° 1049 1/2 068° 1056 1/2 025° 1107 1/2 050° 1109 1/2 025°

William H. Galk
WILLIAM H. GALK
LTJG USNR

12-15 UNDERWAY AS BEFORE. 1202 1/2 035° 1204 1/2 040° 1206 1/2 035° 1208 1/2 030° 1212 1/2 025° 1238 1/2 5 KTS. 1410 1/2 175° 1/2 180° 1415 1/2 999 RPM FOR MANEUVERING.

D.F. Beckwith
D.F. BECKWITH, LTJG, USNR

15-18 UNDERWAY AS BEFORE MANEUVERING TO RECEIVE A SWIFT BOAT (PCF-36) ALONGSIDE TO STARBOARD. 1502 PCF-36 ALONGSIDE, THREE PERSONEL EMBARKED THIS SHIP. 1541 THREE VISITORS DEBARKED AND PCF-36 DEPARTED FROM THE IMMEDIATE AREA. 1545 1/2 180° AND 1/2 5 KTS. 1630 1/2 135°

EXAMINED

Hayne Ellis
HAYNE ELLIS, LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE MONDAY 14 APRIL 19 68
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 on T

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR18-21 UNDERWAY AS BEFORE. 1846 C to $\phi 35^{\circ}$ 1852 C to $\phi 8\phi^{\circ}$ 1902 C to $\phi 35^{\circ}$ 1930 C to 215° D. W. Taylor
D. W. TAYLOR, LTJG, USNR21-24 UNDERWAY AS BEFORE. 2113 C $\phi 35^{\circ}$ T. 2235 C 215° T.William H. Gaik
WILLIAM H. GAIK
LTJG USNR

EXAMINED:

Hayne Elie LTJG U. S. N. NAVIGATOR

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE TUESDAY 15 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM III Corps, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>11°26'14</u>	BY <u>3</u>	
λ <u>108°05'4½</u>	BY <u>5</u>	

	POSITION	ZONE	TIME
	1200		
L	11°-28.1 N	BY	3
λ	109°-05.5 E	BY	3

POSITION	ZONE	TIME
2000		
L <u>110° 25.1N</u>	BY <u>2</u>	
λ <u>109° 04.9E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY
EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST
OF SOUTH VIETNAM ON BASE COURSE 215° AND BASE SPEED 5 KT.
SOFA AND OTC 15' COMMANDING OFFICER THIS SHIP. THE ENGINEERING
PLANT IS CROSS' CONNECTED ON "1A" BOILER AND THE ELECTRICAL LOAD
IS PARALLELED ON "1B", "2B" AND "1A" SHIP'S SERVICE GENERATORS.
CONDITION OF READINESS MODIFIED II AND MATERIAL CONDITION
YOKE ARE SET. THE SHIP IS COMPLETELY DARKENED. 0835%0835°
0840%0810° 0848%0835° 0851%0870° 0858%08240° 0858%08230° 0912
%0955° 0925%0925°

Dr. Bill
Dr. F. Beckebus 476.48W

Φ3-Φ6 UNDERWAY AS BEFORE. Φ32Φ °C 275°T Φ354 °C Φ9Φ°T Φ424 °C
 273°T Φ5Φ5 °C 1Φ KTS °C 27Φ°T Φ528 °C 268°T Φ528 °C 15 KTS
 °C 26Φ°T. Φ539 °C 28Φ°T Φ54Φ °C 283°T Φ555 °C 28Φ°T
 Φ557 °C 3 KTS °C 14Φ°T.

Ronald F. Zimmer
DONALD F. ZIMMER, LTJG USNR

06-12 UNDERWAY AS BEFORE 0615 SET FULL CONDITION II AND MATERIAL CONDITION MODIFIED ZEBRA. 0630 TURNED OFF NORMAL NAVIGATION LIGHTS. 0641 C/C TO 155° 0727 C/C TO 335° C/S TO 7 KTS. 0728 C/C TO 330 0734 C/S TO 3 KTS. 0831 COMMENCED FIRING FOR CALL FIRE. 0845 CEASED FIRING HAVING FIRED 16 5/8" HIGH EXPLOSIVE AMMUNITION ROUNDS. 0910 C/C TO 150° C/S TO 7 KTS. 0911 C/C TO 155° 0913 C/S TO 3 KTS. 1053 % 320°. SET CONDITION OF READINESS II AND (MODIFIED) "MATERIAL CONDITION YOKO THROUGHOUT THE SHIP."

William H. Gaik
WILLIAM H. GAIK
BTJG USNR

12-15 UNDERWAY AS BEFORE. 1212 C/G 160 AND C/S 8 KTS. 1214 C/S 3 KTS. 1241 C/G 170. 1340 C/G 180. 1352 C/G 120.
1419 SET CONDITION OF READINESS II AND MATERIAL CONDITION MODIFIED ZEBRA. 1438 COMMENCED PREP FIRE.
1442 CEASED FIRE, 10 ROUNDS OF 5"-54 AMMUNITION EXPENDED. 1454 SET CONDITION OF READINESS MODIFIED II AND
MATERIAL CONDITION YOKE. ~~1455 C/G~~ 1110 WKE

[Signature]
D.F. BERKEBILE, LTJG, USN

15-18 UNDERWAY AS BEFORE. 1500 1/2 205. 1535 1/2 15KT. 1536 1/2 215. 1603 1/2 000. 1/2 999 RPM FOR MANEUVERING. 1605 1/2 5KT. 1627 1/2 180. 1/2 999 RPM FOR MANEUVERING. 1632 1/2 5KT. 1720 1/2 205. 1730 1/2 340.

EXAMINED

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS VADDELL (DDG-24)DATE TUESDAY 15 APRIL 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

18-24 UNDERWAY AS BEFORE 1804 C/S TO 3 KTS. 1818 SET FULL CONDITION B AND MATERIAL CONDITION MODIFIED ZEBRA. 1826 COMMENCED FIRING FOR CALL FIRE. 1830 C/C TO 310° 1833 C/S TO 7 KTS C/C TO 190° 1835 C/S TO 3 KTS 1930 SET DARKENED SHIP. SET MODIFIED CONDITION B AND MATERIAL CONDITION YOKE. 2030 SET FULL CONDITION B AND MATERIAL CONDITION MODIFIED ZEBRA. 2038 COMMENCED FIRING FOR HARRASSMENT FIRE. 2105 C/C TO 000° C/S TO 7 KTS. 2107 C/C TO 340° 2111 C/S TO 3 KTS. 2200 C/C TO 200° C/S TO 7 KTS. 2206 C/S TO 3 KTS. 2332 CEASED FIRE. AMMUNITION EXPENDED: 20 ROUNDS 5"/54 HIGH EXPLOSIVE PROJECTILES WITH 20 ROUNDS FULL SERVICE NACO POWDER CHARGES. 2336 SET CONDITION OF READINESS II (MODIFIED) AND MATERIAL CONDITION YOKE THROUGH OUT THE SHIP.

William H. Galk
WILLIAM H. GALK
LTJG USNR

EXAMINED:

Harold W. Galk
LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(H) DATE WEDNESDAY 16 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM III Corps, South Vietnam TO _____

POSITION	ZONE	TIME
0800		
L <u>11°-24.5N</u> BY <u>3</u>		
λ <u>109°-03.9E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>11°-26.9N</u> BY <u>3</u>		
λ <u>109°-06.6E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>11°-32.7N</u> BY <u>3</u>		
λ <u>109°-15.0E</u> BY <u>3</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF OF THE COAST OF SOUTH VIETNAM ON BASE COURSE 200° AND BASE SPEED 3KT. SOPA AND GTC IS COMMANDING OFFICER THIS SHIP. THE ENGINEERING PLANT IS CROSS CONNECTED ON "1A" BOILER AND THE ELECTRICAL LOAD IS PARALLELED ON "1B" "2B" AND "1A" SHIP'S SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET. 0800 LIT FIRES UNDER "2A" BOILER. 0804 1/2 340° 1/5 5KT. 0805 1/5 10KT. 0807 1/5 3KT. 0833 1/2 350° 0122 1/5 8KT. 0123 1/2 180° 0127 1/2 185° 0128 1/5 3KT. 0145 1/2 190°.

DK Bullock
D.F. BUCKINGHAM, USN

03-06 UNDERWAY AS BEFORE. 0359 1/2 150°T 0431 1/2 270°T 1/5 999 RPM FOR MANEUVERING. 0435 1/5 3KTS 0508 1/5 5KTS. 0530 1/2 350°T 0532 1/5 3KTS. 0602 1/2 345°T 0604 1/2 005°T 0608 1/2 350°T.

Donald F. Zimmeli
DONALD F. ZIMMELT LTJG USN

06-09 UNDERWAY AS BEFORE 0633 1/2 TO 190° 1/5 TO 7KTS. 0635 TURNED OFF NORMAL NAVIGATION LIGHTS. 0637 1/5 TO 3KTS. 0707 1/2 TO 165° 0711 1/2 TO 175° 1/2 TO 190° 0800 1/2 TO 000° 1902 1/2 TO 185°

D.W. Taylor
D.W. TAYLOR, LTJG, USN

09-12 UNDERWAY AS BEFORE 0950 1/2 010°T. 1019 1/2 170°T. 1046 1/5 5KT. 1047 1/5 3KT. 1149 1/2 185° 1152 1/2 190°

William H. Gak
WILLIAM H. GAK
LTJG USN

12-15 UNDERWAY AS BEFORE 1046 1/5 5KT. 1159 1/2 180° 1224 1/2 180° 1300 CON- DITION OF READINESS II AND MATERIAL CONDITION MODIFIED 2EBRA SET. 1351 COMMENCED FIRE ON TARGET ASSIGNED BY GROUND OBSERVER. 1352 CEASED FIRE HAVING EXPENDED 1 ROUND 5" / 54 PROJECTILE AND 1 ROUND FULL SERVICE NACO POWDER CHARGE. 1359 CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE SET. 1405 1/2 210°

DK Bullock
D.F. BUCKINGHAM, USN

EXAMINED

Harold Ellis LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE 16 WED APR 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

15-18 UNDERWAY AS BEFORE. 1447 C/S 8 KTS C/C 325°T 1448 C/S 15 KTS. 1452 C/C 337°T 1457 C/C 210°T C/S 999 RPM FOR MANEUVERING. 1500 C/C 230°T C/S 2 KTS. 1502 ALL STOP 1503 RECEIVE SWIFT BOAT (PCF 48) ALONG OUR STARBOARD SIDE. RECEIVE FIVE (5) PERSONS ON BOARD: GROWDER, P.W., 0117122, HMAF; WELSH, S.S., 0113668, HMAF; DOWNS, G.T., 057400, HMAF; PEARSON, A.T., 0221382, HMAF; CARROLL, W.H., JR., FR 54882, MAJ, USAF. 1510 C/S 2 KTS. 1515 SET FULL CONDITION II AND MATERIAL CONDITION ZEBRA (MODIFIED) THROUGHOUT THE SHIP. 1516 C/S 3 KTS. C/C 190°T 1519 C/S 999 RPM FOR MANEUVERING. 1520 C/S 3 KTS. 1531 COMMENCED FIRE. 1602 PCF 48 ALONG OUR STARBOARD SIDE TO PICK-UP PERSONNEL. TWO (2) SHIP'S PERSONNEL DEPART SHIP ON PCF 48 WILSON, J.M., BT 2, USN 7720700; ANDREWS, R., FTG 1, USN 5217072. 1630 CEASE FIRE 72 ROUNDS OF 5"/54 CAL HIGH EXPLOSIVE AMMUNITION EXPENDED. 1654 C/S 15 KTS. C/C 160°T 1705 C/C 195°T DEPARTED STATION FOR UNREP WITH TALUGA (AO-67) 1715 C/C 110°T C/C 130°T 1718 C/C 140°T 1729 C/C 125°T 1734 C/C 135°T 1745 C/C 130°T SET SPECIAL SEA ^{AND} REFUELING DETAIL 1745 C/C 110°T ^{HE}

D. F. ZIMMER, LTJG USNR

18-21 UNDERWAY AS BEFORE MANEUVERING VARIOUS COURSES AND SPEEDS WHILE MAKING APPROACH TO AND MAINTAINING STATION ALONGSIDE U.S.S. TALUGA 1807 COMMENCED TRANSFER. 1915 COMPLETED TRANSFER 1915 SECURED SPECIAL SEA, REARMING AND REFUELING DETAIL. TURNED ON NORMAL NAVIGATION LIGHTS C/C TO 065° 1917 C/C TO 000° 1918 C/C TO 305° 1924 C/C TO 15 KTS. 1925 C/C TO 10 KTS. 1929 ALL STOP 1935 C/C TO 15 KTS. C/C TO 205° 2003 C/C TO 240° 2030 C/C TO 270° 2035 C/C TO 5 KTS. 2049 C/C TO 245°

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

21-24 UNDERWAY AS BEFORE. 2134 C/C 065°T. 2242 C/C 245°T. 2312 C/C 180°T, C/S 15 KTS. 2353 C/C 195°T.

William H. Gaik

WILLIAM H. GAIK

LTJG USNR

EXAMINED:

Hayne Ellis ^{CDR} LTJG

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8(14) DATE THURSDAY 17 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM III CORPS, South Vietnam TO Beckton Bay, Curacao

POSITION	ZONE	TIME
0800		
L <u>13-01.0N</u>	BY <u>1</u>	
λ <u>110-37.6E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>14-11.2N</u>	BY <u>1,2</u>	
λ <u>111-42.5E</u>	BY <u>1,2</u>	

POSITION	ZONE	TIME
2000		
L <u>16-16.9N</u>	BY <u>1</u>	
λ <u>113-42.9E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-03 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY OFF THE COAST OF SOUTH VIETNAM ON BASE COURSE 195° AND BASE SPEED 15 KT. SOPA AND OTC IS COMDESDIV 32 EMBARKED THIS SHIP. THE ENGINEERING PLANT IS SPLIT ON "1B" AND "2A" BOILERS AND THE ELECTRICAL LOAD IS PARALLELED ON "1B," "2B," AND "2A" SHIPS SERVICE GENERATORS. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAUTICAL LIGHTS. CONDITION OF READINESS II MODIFIED AND MATERIAL CONDITION YOKE ARE SET. 0810 % 210°, 0818 % 220°, 0826 % 225°, 0848 % 220°, 0853 % 20KT. % 045°, 0810 % 050°, 0831 % 055°, 0832 % 060°, 0851 % 040°. CONDITION OF READINESS IV SET. 0857 % 22KT. 0832 % 045°, 0835 % 050°, 0840 % 055°, 0854 % 040°.

[Signature]
D. F. BERTHOUD, LTJG, USN

03-08 UNDERWAY AS BEFORE. 0411 % 060°T 0433 % 040°T 0511 % 020°T 0538 % 040°T.

[Signature]
DONALD F. ZIMMER LTJG - USNR

08-12 UNDERWAY AS BEFORE.

[Signature]
M F MAAS LTJG USNR

12-16 UNDERWAY AS BEFORE. 1300 EXERCISED AT GENERAL DRILLS. SET MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. 1335 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1352 SECURED FROM GENERAL DRILLS. 1403 % 020°, 1432 % 040°, 1512 % 030°, 1513 % 040°.

[Signature]
D. F. BERTHOUD, LTJG, USN

16-18 UNDERWAY AS BEFORE. 1726 % 057°

[Signature]
WILLIAM H. GAIK
LTJG USNR

EXAMINED

[Signature] LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS WADDELL (DDG-24)DATE THURSDAY 17 APRIL 1969
(Day) (Date) (Month)

H2

REMARKS—CONTINUED

18-20- UNDERWAY AS BEFORE. 1915 $\frac{1}{2}$ 175. 1927 $\frac{1}{2}$ 057.Donald Zimmer

D.F. ZIMMER, LTJG, USNR

20-24 UNDERWAY AS BEFORE 2225 $\frac{1}{2}$ TO 015° 2244 $\frac{1}{2}$ TO 057°M. Maas

M.F. MAAS LTJG USNR

EXAMINED:

Hayne Ellis JR LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -8 (H) DATE FRIDAY 18 APRIL 19 69
 (Day) (Date) (Month)
 AT/PASSAGE FROM II CORPS TACTICAL TO BUCKNER BAY, OKINAWA

POSITION	ZONE	TIME
0800		
L <u>18°-42.3N</u>	BY <u>1</u>	
λ <u>117-27.8E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>19°-26.6N</u>	BY <u>42</u>	
λ <u>118°-43.8E</u>	BY <u>42</u>	

POSITION	ZONE	TIME
2000		
L <u>21°-02.8N</u>	BY <u>1</u>	
λ <u>121°-09.5E</u>	BY <u>1</u>	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE AS MODIFIED BY CTG 70.8 161030Z APR 1969 ENROUTE FROM II CORPS TACTICAL ZONE, REPUBLIC OF VIETNAM TO POSITION 32°-30'N 126°-30'E VIA BUCKNER BAY, OKINAWA ON COURSE 057°T, SPEED 22 KTS. UPON ARRIVAL AT 32°-30'N 126°-30'E, THIS UNIT WILL BECOME A UNIT OF TASK GROUP 71.7. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. SOPA AND OTC ARE COMMANDER DESTROYER DIVISION THIRTY-TWO, EMBARKED.

William H. Gaik
 WILLIAM H. GAIK
 LTJG USNR

04-08 UNDERWAY AS BEFORE. 0715 MUSTERED THE CREW ON STATION, NO ABSENTEES.

D.F. Berkebile
 D.F. BERKEBILE, LTJG USN

08-12 UNDERWAY AS BEFORE. 0830 SET CONDITION OF READINESS II ASW. 0958 SET CONDITION OF READINESS III. 0930 SET CONDITION OF READINESS IV.

Donald F. Zimmer
 DONALD F. ZIMMER LTJG USNR

12-16 UNDERWAY AS BEFORE. 1205 C/C TO 062° ENROUTE TO ASSIST U.S.S. LOFFBERG DD759 ¹⁰² MILES AWAY WITH HASA MAN OVERBOARD. 1223 C/C TO 059° ^{04E} BACK ON ORIGINAL COURSE. LOFFBERG REPORTED NOT NEEDING ASSISTANCE. 1509 C/C TO 010° 1532 C/C TO 062°

M.F. Maas
 M.F. MAAS LTJG USNR

16-18 UNDERWAY AS BEFORE.

William H. Gaik
 WILLIAM H. GAIK
 LTJG USNR

18-20 UNDERWAY AS BEFORE

D.F. Berkebile
 D.F. BERKEBILE, LTJG USN

EXAMINED

Hayne Ellis III LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DD 624)

DATE Friday 18 April 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2001 1/2 22 1/2 KTS (189 RPM). 2136 1/2 051.

Donald Zimmer
DONALD F. ZIMMER LTJG USNR

EXAMINED:

Hayne Ellis Jr LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG-REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8CH DATE SATURDAY 19 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM II CORP SOUTH VIETNAM TO BUCKNER BAY, OKINAWA.

POSITION	ZONE	TIME
0800		
L <u>23-39.1N</u>	BY <u>1</u>	
λ <u>124-40.0E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>24-43.3N</u>	BY <u>2</u>	
λ <u>126-11.0E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMUSMACV FLT QUARTERLY EMPLOYMENT SCHEDULE AS MODIFIED BY CTG 70.8 161030Z APR. 1969 ENROUTE FROM II CORP SOUTH VIETNAM TO BUCKNER BAY, OKINAWA ON COURSE 051° AT SPEED 22.5 KTS. SOPA AND OTC IS COMMANDER DESTROYER DIVISION THIRTY-TWO, EMBARKED THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATION LIGHTS. CONDITION OF READINESS IS AND MATERIAL CONDITION YOKO ARE SET. 0815 C/C TO 0300 0816 C/C TO 0250 0846 C/C TO 051°.

W. Maas
MF MAAS LTJG USNR

04-08 UNDERWAY AS BEFORE. 0424 C/C 060°T. 0439 C/C 051°T. 0600 C/S 24 KTS.

Hayne Ellis
LTJG, USNR

08-12 UNDERWAY AS BEFORE.

D.F. DeBorja
D.F. DEBORJA, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1335 C/C 045. 1412 C/C 051.

Ronald F. Zimmer
DONALD F. ZIMMER LTJG USNR

16-17 UNDERWAY AS BEFORE 1635 C/C TO 0350

W. Maas
MF MAAS LTJG USNR

17-20 UNDERWAY AS BEFORE. 1730 SET THE SPECIAL SEA AND ANCHOR DETAIL, MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO ENTER BUCKNER BAY, OKINAWA. 1800 MOORED, STARBOARD SIDE TO THE U.S. NAVY NEW PIER, WHITE BEACH WITH SIX STANDARD MOORING LINES, RECEIVING FRESH WATER FROM THE PIER.

Robert S. Evans
ROBERT S. EVANS, ENS, USN

EXAMINED

Hayne Ellis
LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/M-0105-404-1560

USS Waddell (DDG-241)DATE Sunday 19 April 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE. 2200 SET SPECIAL SEA AND ANCHOR DETAIL. 2219 UNDERWAY,
MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR BUCKNER BAY, OKINAWA IN
TRANSIT TO SEA OF JAPAN. 2256 SECURED SPECIAL SEA AND ANCHOR DETAIL.
2257 1/2 086. 2317 1/2 033. 2300 1/2 22 KTS. 2330 1/2 23 KTS.

D.F. Berkebile
D.F. BERKEBILE, LTJG, USN

EXAMINED:

Harper Ellis LTJG

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDEL (DDG-24) ZONE DESCRIPTION -9(I) DATE SUNDAY 20 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO TG 71.8 SEA OF JAPAN

POSITION	ZONE	TIME
0800		
L <u>29°-31.3N</u>	BY <u>1</u>	
λ <u>127°-54.7E</u>	BY <u>1</u>	

POSITION	ZONE	TIME
1200		
L <u>31°-12.4N</u>	BY <u>2</u>	
λ <u>127°-36.7E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>31°-59.1N</u>	BY <u>2</u>	
λ <u>126°-54.8E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

06-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT MODIFIED QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM BUCKNER BAY, OKINAWA TO THE SEA OF JAPAN, STEAMING INDEPENDENTLY, TO RONDEZVOUS WITH USS RANGER (CVA-61). SUPA AND OTC ARE COMDESDIV 32 EMBARKED THIS SHIP. BASE COURSE IS 033 AT 23 KTS. ENGINEERING STATUS IS 1A AND 2B BOILERS ON LINE, PLANT SPLIT AND 1B, 2A, AND 2B GENERATORS, ELECTRICAL LOAD PARALLELED. DARKENED SHIP HAS BEEN SET WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 0601 LOST STEERING CONTROL AND EXPERIENCED DIFFICULTY IN COMMUNICATING TO AFTER-STEERING. 0602 ALL ENGINES STOPPED 0605 C/L 24 KTS. 0615 REGAINED STEERING CONTROL ON THE BRIDGE. 0658 C/L 333. 0744 C/L 351. 0746 C/L 067. 0805 C/L 351. 0809 C/L 335. 0845 C/L 351.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

04-08 UNDERWAY AS BEFORE. 0559 TURNED OFF NORMAL NAVIGATION LIGHTS. 0657 C/L TO 335° 0702 C/L TO 351°

M. F. Maas
M. F. MAAS LTJG USNR

08-12 UNDERWAY AS BEFORE. 0715 SET CONDITION OF READINESS III THROUGHOUT THE SHIP. 0948 C/L 325° 0954 C/L 351°.

Donald F. Zimmer
D. F. ZIMMER LTJG USNR

12-16 UNDERWAY AS BEFORE. 1211 C/L 330° 1241 C/L 340° 1248 C/L 330° 1322 C/L 265° 1323 C/L 230° 1340 C/L 220° 1342 C/L 242 225° 1400 C/L 235° 1408 H/K C/L 170° 1416 C/L 20 KTS. 1417 C/L 185° 1421 C/L 000° 1424 C/L 310° 1425 C/L 330° 1430 C/L 310° 1432 C/L 220° C/L 15 KTS. 1435 C/L 250° 1438 C/L 000° 1444 C/L 055° 1451 C/L 310° 1504 C/L 040° 1519 C/L 310° 1534 C/L 040° 1537 C/L 010° 1551 C/L 030°

J. W. Taylor
J. W. TAYLOR LTJG USNR

16-20 UNDERWAY AS BEFORE. 1604 C/L TO 290° 1603 C/L TO 270° 1607 C/L TO 060° 1614 C/L TO 055° 1616 C/L TO 320° 1627 C/L TO 050° 1636 C/L TO 325° 1648 C/L TO 050° 1658 C/L TO 350° 1700 C/L TO 000° C/L TO 12 KTS. 1702 C/L TO 025° 1705 C/L TO 15 KTS. C/L TO 320° 1709 C/L TO 040° 1723 C/L TO 035° 1733 C/L TO 320° 1736 C/L TO 290° 1738 C/L TO 000° 1752 C/L TO 252° C/L TO 15 KTS. 1756 C/L TO 248° 1758 C/L TO 255° 1800 C/L TO 12 KTS. 1803 C/L TO 340° 1806 C/L TO 270° 1812 C/L TO 275° 1813 C/L TO 11 KTS. 1826 C/L TO 270° 1832 C/L TO 200° C/L TO 15 KTS. C/L TO 20 KTS.

EXAMINED

Harold Elci LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waldell (DD 624)

DATE

Sunday 20 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

1835 C/C TO 150° 1836 C/C TO 170° 1837 C/S TO 15 KTS. 1838 C/C TO 290° 1841 C/C TO 300° 1844 C/C TO 310° 1853 C/C TO 230° 1904 C/C TO 240° 1905 C/C TO 310° 1918 C/C TO 220° 1919 C/C TO 215° 1922 C/C TO 210° 1924 C/C TO 105° 1926 C/S TO 20 KTS 1930 C/C TO 085° C/S TO 15 KTS. 1931 C/C TO 065° 1932 C/C TO 000° 1936 C/C TO 050° 1942 C/C TO 130°

W F Maas
M F MAAS LTJG USN

20-24 UNDERWAY AS BEFORE. 1954 C/C 050°T. 2010 C/C 140°T. 2017 C/S 22 KTS. C/C 060°T. 2019 C/S 20 KTS C/S 18 KTS 2020 C/S 22 KTS C/C 035°T. FORMATION COURSE 060°T SPEED. 20 KTS. 2027 C/C 060°T. 2030 C/S 164 RPM. 2035 C/S 19 KTS. 2041 C/S 20 KTS C/C 062°T. 2042 C/C 060°T 2050 C/C 062°T. 2053 C/C 060°T. 2055 C/S 15 KTS BASE SPEED CHANGE, NOW 15 KTS. 2057 C/C 025°T. 2058 C/S 18 KTS. 2102 C/C 035°T. 2104 C/C 034°T C/S 15 KTS. FORMATION BASE COURSE NOW 034°T. 2117 C/S 117 RPM. 2122 C/C 000°T C/S 18 KTS. 2129 C/C 070°T 2142 C/C 000°T. 2156 C/C 075°T. 2208 C/C 000°T 2225 C/C 075°T 2234 C/C 000°T. 2245 C/C 065°T. 2253 C/S 17 KTS. BASE SPEED NOW 14 KTS. 2257 C/S 8 KTS C/C 000°T. BASE SPEED NOW 8 KTS. 2312 C/C 075°T C/S 11 KTS. 2318 C/C 072°T 2322 C/C 075°T. 2339 C/C 090°T. 2342 C/C 034°T 2343 C/S 8 KTS.

Donald Zimmer
D.F. ZIMMER LTJG USNR.

EXAMINED:

Harry Ellice LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9(I) DATE MONDAY 21 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM Sec of Japan TO _____

POSITION	ZONE	TIME
0800		
L <u>34° 46.5N</u> BY <u>2</u>		
λ <u>127° 09.1E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>35° 40.8N</u> BY <u>2</u>		
λ <u>129° 52.2E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>36° 43.2N</u> BY <u>2</u>		
λ <u>130° 41.9E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING IN STATION #3 IN A 5C3 BENT-LINE SCREEN IN FORMATION WITH USS RANGER (CVA-61), USS RADFORD (DDH-46), USS COONTZ (DLG-9), AND USS SWENSON (DD-729). FORMATION IS ON BASE COURSE 034° AND BASE SPEED 8 KT. SOPA AND OTC IS COMMANDING OFFICER USS RANGER (CVA-61). THE ENGINEERING PLANT IS SPLIT WITH "1A" AND "2A" BOILERS ON THE LINE AND THE ELECTRICAL LOAD IS SPLIT PARALLELED ON "1B", "2B", AND "2A" SHIPS SERVICE GENERATORS. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATIONAL LIGHTS. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN FORMATION. 0034 1/2 20 KT BASE SPEED. 0025 1/2 040° BASE COURSE. 0115 1/2 18 KT. BASE SPEED. 0149 1/2 035° BASE COURSE. 0206 1/2 040° BASE COURSE. 0304 1/2 20 KT. BASE SPEED. 0347 C/C TO 035°.

D. W. Taylor
D. W. TAYLOR, LTJG, USN

04-08 UNDERWAY AS BEFORE. 0352 C/S TO 21 KTS. C/C TO 030° MANEUVERING VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 059°, 8400 YDS RELATIVE FROM THE GUIDE, U.S.S. RANGER. BASE COURSE 035° SPEED 8 KT. 0433 BASE COURSE 040° 0438 BASE COURSE 030° 0454 BASE SPEED 8 KTS. 0508 BASE SPEED 15 KTS. 0519 BASE COURSE 035° 0556 TURNED OFF NORMAL NAVIGATION LIGHTS. 0613 BASE SPEED 20 KTS. 0626 BASE COURSE 030° 0635 BASE COURSE 020°

M. F. Maas
M. F. MAAS LTJG USN

08-12 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION THREE OF A 5C3 SCREEN ON BASE COURSE 020° AT 20 KTS. 0730 MUSTERED THE CREW ON STATION, NO ABSENTEES. 0815 NEW BASE COURSE 033°. 0858 NEW BASE COURSE 038° AND BASE SPEED 18 KTS. 0917 NEW BASE SPEED 15 KTS. 1004 NEW BASE SPEED 10 KTS. 1015 MANEUVERING TO TAKE STATION THREE OF A 3C3 SCREEN ON BASE COURSE 038° AT 10 KTS. 1038 CHANGE BASE SPEED TO 15 KTS. 1146 NEW BASE COURSE 033°.

D. F. Zimmer
D. F. ZIMMER LTJG USN

12-16 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION THREE OF A 3C3 SCREEN ON BASE COURSE

EXAMINED

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-24)

DATE

Monday 21 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

033° AND BASE SPEED 15 KTS. 1157 1/2 KTS. BASE SPEED. 1525 1/2 035°
BASE COURSE.

D. W. Taylor

D. W. TAYLOR, LTJG, USNR

16-20 UNDERWAY AS BEFORE MANEUVERING VARIOUS COURSES AND SPEEDS TO
MAINTAIN BASE SPEED 10 KTS. BASE COURSE 035° AND STATION 0610, 6000 YDS RELATIVE
TO U.S.S. RANGER. 1630 BASE SPEED 15 KTS. 1907 BASE COURSE 215° 1915 BASE
SPEED 8 KTS. USS RANGER IS CONDUCTING FLIGHT OPERATIONS. 1939
ORDERED INTO A 3C2 SCREEN, STATION NUMBER TWO, BEARING
306° RELATIVE TO GUIDE, DISTANCE 3700 YARDS 1/2 15 KTS TO
GAIN STATION. BASE COURSE IS 210°, SPEED 8 KTS.

M. F. Marrs

M. F. MARRS, LTJG, USNR

20-24 UNDERWAY AS BEFORE PROCEEDING TO STATION TWO OF A 3C2 SCREEN ON BASE COURSE
210° AT 8 KTS. 2011 MANEUVERING TO MAINTAIN STATION TWO OF THE 3C2 SCREEN, 2113 CHANGED
BASE COURSE TO 045 AT 9 KTS, MANEUVERING TO STATION ONE ^{OF A} 3C2 SCREEN, 2123
CHANGED BASE COURSE TO 055. 2217 CHANGE BASE COURSE TO 210°, MANEUVERING TO STATION
TWO OF A 3C2 SCREEN. 2303 CHANGE BASE COURSE TO 213.

Donald F. Zimmer

D. F. ZIMMER, LTJG, USNR

EXAMINED:

H. Ellis

LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9(I) DATE TUESDAY 22 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM Sea of Japan TO _____

POSITION	ZONE	TIME
0800		
L <u>34° 30.6N</u>	BY <u>2</u>	
λ <u>129° 00.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>35° 08.0N</u>	BY <u>2</u>	
λ <u>129° 35.8E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>35° 57.0N</u>	BY <u>2</u>	
λ <u>130° 30.8E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING IN THE SEA OF JAPAN IN A 3C2 FORMATION. THE FORMATION GUIDE IS USS RANGER (CVA-61). IN FORMATION WITH USS RADFORD (DD-446), USS COONTZ (DLG-9), AND USS SWENSON (DD-729) ON BASE COURSE 213° AND BASE SPEED 9 KT. OTC IS CTG 71.8 EMBARKED USS RANGER (CVA-61). SOPA IS CTF 71 EMBARKED USS ENTERPRISE (CVAN-65). THE ENGINEERING PLANT IS SPLIT WITH "1A" AND "2A" BOILERS ON THE LINE AND THE ELECTRICAL LOAD IS PARALLELED ON "1B," "2B," AND "2A" SHIPS SERVICE GENERATORS ON THE LINE. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF NORMAL BRIGHT NAVIGATIONAL LIGHTS. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN FORMATION. 0801 19 KT. BASE SPEED. 0843 1/2 215° BASE COURSE. 0841 1/2 213° BASE COURSE.

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

04-08 UNDERWAY AS BEFORE 0908 NEW BASE COURSE 205° 0920 NEW BASE COURSE 213° 0620 SOVIET DESTROYER HULL NUMBER 927 PASSED DOWN THE PORT SIDE, RANGE 2000 YARDS

M. F. MARS
M. F. MARS, LTJG, USNR

08-12 UNDERWAY AS BEFORE. 0802 EXERCISED THE CREW AT GENERAL QUARTERS, SET CONDITION OF READINESS I AND MATERIAL CONDITION ZEARA. 0828 NEW BASE COURSE SPEED 15 KTS. 0849 SECURED FROM GENERAL QUARTERS, CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. 0833 MANEUVERING ON STATION ONE OF A 3C3 SCREEN ON BASE COURSE 033 AT 15 KTS. 0857 CHANGE BASE SPEED 2 KTS. 1039 BASE SPEED 15 KTS. 1100 MANEUVERING TO STATION TWO OF A 3C2 SCREEN COURSE 045 AT 15 KTS.

D. F. Zimmer
D. F. ZIMMER, LTJG, USNR

12-16 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION. 1207 1/2 025 BASE COURSE. 1515 20 KT. BASE SPEED. 1249 1/2 045° BASE COURSE. 1515 15 KT. BASE SPEED. 1258 1/2 035° BASE COURSE. 1402 TAKING STATION #2 IN A 3C3 SCREEN. 1517 HELD DETAIL SET. 1523 SECURED HELD DETAIL AFTER RECEIVING 1 LOAD. 1547 1/2 095° BASE COURSE.

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

EXAMINED

H. W. Ellis
H. W. ELLIS, LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-24)

DATE

Tuesday 2+22 April 1969
(Day) (Date) (Month)

HE

REMARKS-CONTINUED

16-18 UNDERWAY AS BEFORE. PROCEEDING TO STATION NUMBER TWO, 3C3 BENT LINE SCREEN, AXIS 095° . GUIDE WILL BEAR 214° T, 6000 YARDS. 1559 SCREEN AXIS REORIENTED TO 185° T, GUIDE WILL BEAR 304° T, 6000 YARDS WHEN ON STATION. 1639 ON STATION, ASSUMED BASE COURSE 185° T, SPEED 15 KTS

M F MAAS

M F MAAS LTJG USNR

18-20 UNDERWAY AS BEFORE. 1713 CHANGE BASE COURSE 190° . 1715 CHANGE BASE SPEED 20 KTS. 1739 BASE COURSE 170° . 1754 $1/2$ 070° . 1800 $1/2$ 180° . 1802 MANEUVERING TO STATION ONE OF A 3C2 SCREEN ON BASE COURSE 070° AT 12 KTS. 1816 SET HELO DETAIL. $1/2$ 055° . 1826 PROCEEDING BACK TO STATION, SECURED HELO DETAIL. 1843 SET SPECIAL SEA AND REFUELING DETAIL, MANEUVERING TO WAITING STATION 5000 YDS ASTERN OF RANGER (CVA-6) AND HASSAYAMPA (AO-145). 1857 $1/3$ 17 KTS COMMENCED APPROACH TO HASSAYAMPA. 1909 ALONGSIDE USS HASSAYAMPA, PORT SIDE TO, WITH USS RANGER TO HER PORT, BASE COURSE 020° AT 12 KTS. 1941 ALL LINES CLEAR, PROCEEDING TO STATION TWO OF 3C2 SCREEN ON BASE COURSE 020° AT 12 KTS. 1946 SECURED SPECIAL SEA AND REFUELING DETAIL.

Donald F. Zimmer
D.F. ZIMMER LTJG, USNR

20-24 UNDERWAY AS BEFORE. 1950 $1/2$ 330° BASE COURSE. $1/3$ 12 KT BASE SPEED. 2014 $1/2$ 350° BASE COURSE. $1/5$ 17 KT. BASE SPEED. 2044 $1/2$ 000° BASE COURSE. 2120 COMMENCED PATROLING STATION BETWEEN 5000 YDS AND 6000 YDS FROM THE GUIDE BETWEEN 060° AND 260° FROM THE GUIDE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION. 2216 $1/2$ 145° BASE COURSE. $1/5$ 22 KT BASE SPEED. 2242 $1/2$ 345° BASE COURSE. $1/5$ 27 KT BASE SPEED. 2330 $1/2$ 320° BASE COURSE. $1/5$ 20 KT BASE SPEED. 2343 $1/2$ 180° BASE COURSE. COMMENCED PATROLING SECTOR BETWEEN 5000 YDS AND 6000 YDS FROM GUIDE BETWEEN 340° AND 160° FROM THE GUIDE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION. 2354 $1/3$ 25 KT BASE SPEED.

D. W. Taylor

D.W. TAYLOR, LTJG, USNR

EXAMINED:

Hans Ellis

LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWELL DDG-24 ZONE DESCRIPTION -9 (I) DATE WEDNESDAY 23 APRIL 19 69 UM
(Day) (Date) (Month)

AT/PASSAGE FROM SEA of Japan TO _____

POSITION	ZONE	TIME
0800		
L <u>36° 07.2' N</u> BY <u>2</u>		
λ <u>130° 06.9' E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>36° 40.3' N</u> BY <u>2</u>		
λ <u>130° 21.0' E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>37° 14.4' N</u> BY <u>2</u>		
λ <u>130° 37.4' E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH CONSEQUENT FLT QUARTERLY EMPLOYMENT SCHEDULE, STEERING IN FORMATION WITH THE GUIDE, U.S.S. RANGER (CVA-61). IN THE FORMATION ARE USS RADFORD (DD-446), USS COONTZ (DLG-9), AND U.S.S. SWENSON (DD-729). BASE COURSE IS 180° AND BASE SPEED IS 25 KTS. SOPA IS CTF-71 EMBARKED U.S.S. ENTERPRISE (CVAN-65). OTC IS CTG 71.8 EMBARKED U.S.S. RANGER. THE SHIP IS DARKENED EXCEPT NORMAL NAVIGATION LIGHTS ARE ON. CONDITION OF READINESS III AND MATERIAL CONDITION YOKE ARE SET. MANEUVERING VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN FORMATION. ΦΦ15 BASE COURSE 225° ΦΦ45 BASE COURSE Φ40° Φ122 BASE COURSE 215° Φ131 BASE COURSE 210° Φ209 BASE SPEED 24 KTS. Φ231 BASE COURSE Φ90° BASE SPEED 27 KTS. Φ257 BASE COURSE 220° BASE SPEED 24 KTS. Φ311 BASE COURSE 205° Φ339 BASE COURSE Φ60° BASE ^{SPEED} COURSE 27 KTS. WAC

M. F. Maas
M F MAAS LTJG USNR

Φ4-Φ8 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 5000 TO 6000 YDS FROM THE CARRIER BETWEEN THE BEARINGS OF 160° CLOCKWISE TO 340°, BASE COURSE Φ20 AT 27 KTS. Φ420 BASE COURSE 210°, SPEED 24 KTS. Φ430 BASE COURSE 190°. Φ433 BASE COURSE 200°. Φ500 BASE COURSE Φ20 AT BASE SPEED 21 KTS. Φ604 BASE COURSE 220°, SPEED 24 KTS. Φ648 BASE COURSE Φ35. Φ623 LATE ENTRY NEW BASE COURSE 215° T SPEED 26 KTS. Φ707 NEW BASE COURSE 215° T.

Donald F. Zimmer
D. F. ZIMMER LTJG USNR

Φ8-12 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 5000 YDS TO 6000 YDS FROM GUIDE BETWEEN 160° AND 340° FROM THE GUIDE, BASE COURSE 215° AND BASE SPEED 26 KT. Φ734 1/2 230° BASE COURSE. Φ737 COMMENCED PATROLING SECTOR 4800 YDS TO 5000 YDS FROM GUIDE BETWEEN 300° AND Φ60° FROM THE GUIDE. Φ800 1/2 8 KT. BASE SPEED. 1/2 005 BASE COURSE.

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

12-16 UNDERWAY AS BEFORE

M. F. Maas
M F MAAS LTJG USNR

16-20 UNDERWAY AS BEFORE. 1803 NEW BASE COURSE 145° T

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

20-24 UNDERWAY AS BEFORE. BASE COURSE 145°, BASE SPEED 8 KT. MANEUVERING

EXAMINED

Harpe Ellis LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-24)

DATE

Wednesday 23 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

AT VARIOUS COURSES AND ~~SPEEDS~~^{SPEED} TO MAINTAIN STATION IN PATROL SECTOR. ~~11K~~
2231 $\frac{1}{2}$ C 000 BASE COURSE. 2245 COMMENCING TO PATROL SECTOR AT ~~RANGE~~ ^{RANGE} 5000 YDS TO 6000 YDS. BETWEEN THE BEARINGS OF 000° AND 180° FROM THE GUIDE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION

D.W. Taylor
D.W. TAYLOR, LTJG, USNR

EXAMINED:

Harold Ellis LTJG

U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE THURSDAY, 24 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM SEA OF JAPAN, KOREA STRAIT TO

POSITION	ZONE	TIME
0800		
L <u>37-12.2N</u>	BY <u>2</u>	
λ <u>131-03.1E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>37-05.6N</u>	BY <u>2</u>	
λ <u>131-07.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>37-08.6N</u>	BY <u>2</u>	
λ <u>131-05.0E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH CONSEQUENT FLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING IN FORMATION WITH THE GUIDE, U.S.S. RANGER (CVA-61). IN THE FORMATION ARE U.S.S. RADFORD (DD446), U.S.S. COONTZ (DLG-9) AND U.S.S. SWENSON (DD 729). BASE COURSE IS 205° AND BASE SPEED IS 8 KTS. SOPA IS CTF-71 EMBARKED U.S.S. ENTERPRISE (CVA(N)-65). OTC IS CTG-71.8 EMBARKED U.S.S. RANGER. ~~THE~~ ^{THE} SHIP IS DARKENED EXCEPT NORMAL NAVIGATION LIGHTS ARE ON. ~~HE~~ CONDITION OF READINESS III AND MATERIAL CONDITION YOKO ARE SET. MANEUVERING VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN FORMATION. Φ046 BASE COURSE Φ25° Φ133 BASE COURSE 210° Φ149 BASE COURSE 205° Φ132 BASE COURSE Φ15° BASE SPEED 11 KTS. Φ318 NEW BASE COURSE 205° 0354 BASE COURSE 270° 15 KTS

M. F. Maas
M F MAAS LTJL USNR

Φ4-Φ8 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN A PATROL SECTOR 5000 TO 6000 YDS FROM THE GUIDE FROM Φ00°T TO 180°T CLOCKWISE. Φ427 BASE COURSE Φ00° SPEED 16 KTS. Φ504 BASE COURSE 280°. Φ516 CHANGE BEARING LIMITS OF PATROL SECTOR TO FROM 270°T CLOCKWISE TO Φ90°T. Φ536 BASE COURSE 350°. Φ550 BASE COURSE Φ20° AT 9 KTS. Φ613 BASE COURSE 180° AT 20 KTS. Φ620 BASE COURSE 195° AT 27 KTS. Φ650 BASE SPEED 15 KTS. Φ653 BASE COURSE Φ70° AT 20 KTS. Φ700 BASE COURSE Φ60°. Φ746 BASE SPEED 15 KTS. Φ620 BASE SPEED 13 KTS. Φ725 C/S NEW BASE SPEED 10 KTS.

Ronald F. Zimmer
D.F. ZIMMER LTJG USNR

Φ8-12 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION. ⁰⁷³⁵ Φ504 BASE COURSE. Φ737 C/S 12 KT BASE SPEED. Φ746 C/S 195° BASE COURSE. ⁰⁸³⁵ C/S 27 KT BASE SPEED. Φ830 C/S ⁰⁸³⁵ BASE COURSE. Φ838 C/S 12 KT BASE SPEED. Φ842 C/S 040° BASE COURSE. Φ855 C/S 195° BASE COURSE. C/S 18 KT BASE SPEED. Φ905 C/S Φ30° BASE COURSE. 102 C/S 020° BASE COURSE. 1027 C/S 200° BASE COURSE. C/S 10 KT BASE SPEED. 1047 C/S 230° BASE COURSE. 1049 C/S 240° BASE COURSE. 1055 SET SPECIAL SEA AND REFUELING DETAIL. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO REFUEL FROM USS HASSAYAMIDA (AO-145). BASE COURSE Φ30° BASE SPEED 12 KT.

12-16 UNDERWAY AS BEFORE 1202 ALL LINES CLEAR C/S 20 KTS C/S 055 PROCEEDING TO STATION NUMBER 1, 302 SCREEN GUIDE BEARS 277°T 3700 YARDS WHEN ON STATION 1214 C/S 030 C/S 12 KTS COMMENCED MANEUVERING TO REMAIN ON STATION 1247 C/S 000 PROCEEDING TO PATROL STATION 4000-6000 YARDS AHEAD OF THE GUIDE 1320 COMMENCED PATROLING 1410 FORMATION BASE COURSE ALTERED TO 050° 1416 BASE SPEED 15 KTS 1438 BASE SPEED 10 KTS 1504 NEW SCREEN, CIRCULAR PATROL 4000-5000 YARDS, 340°-100°T

EXAMINED

Harold E. [Signature]
U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-24)

DATE

Thursday 24 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

FROM THE GUIDE. CHANGE BASE COURSE TO 180° 10 KTS.

M. F. Maas
M F MAAS, LTJG, USNR

16-20 UNDERWAY AS BEFORE. 1746 NEW BASE COURSE 260° T.

Donald F. Zimmer
DONALD F. ZIMMER, LTJG, USNR20-24 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO
MAINTAIN SITUATION. 2058 1/2 300° BASE COURSE. 2103 1/2 260° BASE COURSE. 2232
1/2 050° BASE COURSE. 2314 COMMENCED PATROLING NEW SECTOR 5000 YDS TO 6000
YDS TO GUIDE BETWEEN 220° AND 040° FROM GUIDE. 2354 C/C TO 030° C/L
TO 18 KTSD. W. Taylor
D. W. TAYLOR, LTJG, USNR

EXAMINED:

Hayes McI

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE FRIDAY 25 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM SEA OF JAPAN TO

POSITION	ZONE	TIME
0800		
L <u>36° 59.2N</u> BY <u>2</u>		
λ <u>130° 45.3E</u> BY <u>2</u>		

POSITION	ZONE	TIME
1200		
L <u>37° 00.1N</u> BY <u>2</u>		
λ <u>130° 55.2E</u> BY <u>2</u>		

POSITION	ZONE	TIME
2000		
L <u>37° 01.8N</u> BY <u>2</u>		
λ <u>131° 00.9E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING IN FORMATION WITH THE GUIDE, U.S.S. RANGER (VA-61). IN THE FORMATION ARE U.S.S. AARFORD (DD446), U.S.S. COONTZ (DLG-9) AND U.S.S. SWENSON (DD729). BASE COURSE IS 030° AND BASE SPEED IS 18 KTS. SOPA IS CTF-71 (EMBARKED) U.S.S. ENTERPRISE (CVN(6)-61). OTC IS CTF 71.8 (EMBARKED) U.S.S. RANGER. THE SHIP IS DARKENED EXCEPT NORMAL NAVIGATION LIGHTS ARE ON. CONDITION OF READINESS AND MATERIAL CONDITION ARE SET. MANEUVERING- VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN FORMATION. 0418 BASE COURSE 210° 0443 CHANGE BASE COURSE TO 040° AT 15 KTS 0445 BASE COURSE ADJUSTED TO 025° 0412 BASE SPEED 14 KTS 0303 NEW FORMATION BASE COURSE 205°

[Signature]
M F MAAS LTJG USNR

04-08 UNDERWAY AS BEFORE 0509 BASE COURSE 035° T 0517 BASE SPEED 15 KTS 0520 BASE SPEED 14 KTS 0550 BASE COURSE 020° T 0651 BASE SPEED 15 KTS. LATE ENTRY 0605 NEW BASE COURSE 025° T 0723 NEW BASE SPEED 18 KTS

[Signature]
DONALD F. ZIMMER LTJG USNR

08-12 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN PATROL SECTOR. 0736 1/2 205° BASE COURSE. 0758 1/2 030° BASE COURSE. 0815 1/2 8 KT BASE SPEED. 0817 1/2 020° BASE COURSE. 0829 1/2 035° BASE COURSE. 0843 1/2 12 KT BASE SPEED. 0858 1/2 200° BASE COURSE. 1/2 18 KT BASE SPEED. 0912 1/2 020° BASE COURSE. 0918 1/2 12 KT. BASE SPEED. 1007 1/2 10 KT BASE SPEED. 1024 COMMENCING TO PATROL NEW SECTOR 4000 YDS TO 5000 YDS BETWEEN 240° AND 000° FROM THE GUIDE, 1/2 180° BASE COURSE.

[Signature]
D. W. TAYLOR, LTJG, USNR

12-16 UNDERWAY AS BEFORE

[Signature]
M F MAAS, LTJG USNR

16-18 UNDERWAY AS BEFORE. 1619 NEW BASE SPEED 8 KTS. 1630 NEW BASE COURSE 000° T

[Signature]
D F ZIMMER LTJG USNR

EXAMINED

[Signature]
U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24)DATE Friday 25 April 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

18-20 UNDERWAY AS BEFORE. 1849 C/C TO 020° NEW BASE COURSE 1905 C/C TO 000° NEW BASE COURSE.

D.W. Taylor

D.W. TAYLOR, 2TSG, USNR

20-24 UNDERWAY AS BEFORE 2059 CHANGE BASE COURSE TO 180° T.
2300 BASE COURSE ALTERED TO 000° T.

M. Maas

MF MAAS LTJG USNR

EXAMINED:

Hayne Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 I DATE SATURDAY 26 APRIL 19 69
(Day) (Date) (Month)

AT/PASSAGE FROM SEA OF JAPAN TO _____

POSITION	ZONE	TIME
0800		
L <u>34°-59.2N</u>	BY <u>2</u>	
λ <u>129°-19.8E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>34°-09.2N</u>	BY <u>2</u>	
λ <u>128°-29.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>33°-03.9N</u>	BY <u>2</u>	
λ <u>126°-50.1E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING IN FORMATION WITH THE GUIDE, USS RANGER (CVA-61). IN THE FORMATION ARE USS RADFORD (DD 446), USS COONTZ (DLG-9), AND USS SWENSON (DD 729). BASE COURSE IS ΦΦΦ°T AND BASE SPEED IS 8 KNOTS. SOPA IS CTF 71 EMBARKED USS ENTERPRISE (CVA(N)-65). OTC IS CTG 71.8 EMBARKED USS RANGER. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATION LIGHTS. CONDITION OF READINESS II AND MATERIAL CONDITION YOKO ARE SET THROUGHOUT THE SHIP. THIS SHIP IS MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO MAINTAIN OUR STATION BEARING FROM 24Φ°T TO ΦΦΦ°T AND FROM 4ΦΦΦ TO 5ΦΦΦ YARDS FROM THE GUIDE, USS RANGER. Φ1ΦΦ NEW BASE COURSE 216°T. Φ255 NEW BASE SPEED 2Φ KNOTS DEPARTING SEA OF JAPAN ENROUTE TO YELLOW SEA.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

Φ4-Φ8 UNDERWAY AS BEFORE. Φ449 °C 214° BASE COURSE. Φ7Φ5 C/S TO 25 KTS. BASE SPEED.

D. W. Taylor
D. W. TAYLOR LTJG USNR

Φ8-12 UNDERWAY AS BEFORE Φ758 BASE SPEED 2Φ KTS. Φ836 BASE COURSE Φ5Φ° Φ851 BASE COURSE 216° BASE SPEED 2Φ KTS. Φ855 BASE SPEED 25 KTS. Φ841 BASE SPEED 2Φ KTS. 1Φ59 NEW GUIDE U.S.S. VEGA (AF 59) 11Φ2 PROCEEDING TO TAKE STATION #1 IN A 3C2 SCREEN. GUIDE WILL BEAR 1Φ4° AT 37ΦΦ YDS. BASE COURSE 23Φ° BASE SPEED 12 KTS. 112Φ BASE COURSE 245° 1137 MANEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH AND MAINTAIN STATION TO U.S.S. VEGA FOR UNREP. 121Φ COMMENCED TRANSFER

MF Maas
MF MAAS LTJG USNR

12-16 UNDERWAY AS BEFORE MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS TO COME ALONG SIDE PORT SIDE TO USS VEGA (AF 59) 121Φ ALONG SIDE FIRST LINE OVER 1232 ALL LINES CLEAR MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS PROCEEDING TO LIFE GUARD STATION 1ΦΦΦ YDS ASTERN VEGA 1245 ON STATION BASE COURSE 23Φ°T BASE SPEED 12 KTS. 1311 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS TO LIFE GUARD STATION ASTERN USS HASSAYAMPA (AO 145) 1321 ON STATION 1ΦΦΦ YDS. ASTERN HASSAYAMPA BASE COURSE 230°T BASE SPEED 12 KTS. 1325 MANEUVERING VARIOUS COURSES AND VARIOUS SPEEDS PROCEEDING TO STARBOARD SIDE HASSAYAMPA 1342 ALONG SIDE FIRST LINE OVER

EXAMINED

Hogare Ellis
HOGARE ELLIS LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-241)

DATE

Saturday 26 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 (CONTINUED) 1415 ALL LINES CLEAR MANEUVERING VARIOUS COURSES AND VARIOUS SPEEDS TO CLEAR HASSAYAMPA TO PROCEED TO LIFE GUARD STATION 1000 YDS. ASTERN HASSAYAMPA 1428 ON STATION BASE SPEED 12 KTS. BASE COURSE 230° 1544 MANEUVERING VARIOUS COURSES AND VARIOUS SPEEDS PROCEEDING TO STATION ONE OF A 3C3 GUIDE IS RANGER WHEN ON STATION GUIDE WILL BEAR 040° RANGE 3300 YDS.

Donald F. Zimmer
DONALD F. ZIMMER LTJG USNR

16-20 UNDERWAY AS BEFORE. 1609 1/2 235° BASE COURSE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION IN A "3C3" SCREEN, STATION #1 AT A DISTANCE OF 3300 YDS AND BEARING 235° FROM THE GUIDE. 1617 1/2 14 KT BASE SPEED. 1933 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO TAKE AND MAINTAIN NEW STATION IN "3C2" SCREEN AT A RANGE OF 3700 YDS AND BEARING OF 289° FROM THE GUIDE.

D. W. Taylor
D. W. TAYLOR, LTJG, USNR

20-24 UNDERWAY AS BEFORE 1957 BASE COURSE 180° 2007 BASE COURSE 235° 2055 BASE COURSE 270° 2202 BASE COURSE 285° 2206 BASE COURSE 295° 2230 BASE COURSE 270° 2344 DETACHED FROM USS RANGER (CVA-61) 1/2 120° 1/2 20 KTS 2352 1/2 22 KTS

M. F. MARS
M. F. MARS LTJG USNR

EXAMINED:

H. Ellis
H. ELLIS LTJG

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 (I) DATE SUNDAY 27 APRIL 19 69
(Day) (Date) (Month)

WJS

AT/PASSAGE FROM EAST CHINA
YELLOW SEA TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>31°-20.4N</u>	BY <u>2</u>	
λ <u>129°-23.4E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>31°-06.5N</u>	BY <u>3</u>	
λ <u>131°-14.7E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>32°-53.0N</u>	BY <u>2</u>	
λ <u>134°-57.9E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING
INDEPENDENTLY ENROUTE FROM ^{EAST CHINA} ~~YELLOW~~ SEA TO YOKOSUKA, JAPAN. SOPA AND OTC ARE COMDESDIV 32 WJS
EMBARKED THIS SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE
SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT RUNNING LIGHTS. 1A AND 2A BOILERS ARE
ON THE LINE, PLANT SPLIT. 1B, 2A, AND 2B GENERATORS ARE ON LINE, ELECTRICAL LOAD PARALLELED. SHIP IS
ON COURSE 120 AT 22 KNOTS. 0011 C/L 125. 0022 C/L 140. 0025 C/L 125 AND 0025 KTS. 0034 C/L 120

Donald F. Zimmer
DF ZIMMER LTJG USNR

04-08 UNDERWAY AS BEFORE. 0418 C/L 115. 0424 C/L 120. 0426 C/L 125. 0427
C/L 130. 0432 C/L 120. 0445 C/L 115. 0511 C/L 110. 0525 C/L 115. 0532 C/L 116.
0730 MUSTERED THE CREW ON STATION. NO ABSENTEES.

DF Berkebile
DF. BERKEBILE, LTJG USN

08-12 UNDERWAY AS BEFORE. 0802 C/L 113. 0940 SIGHTED BONO
MISAKI LIGHT BEARING 019. 12 MILES. 0950 SIGHTED SATA MISAKI
LIGHT BEARING 094. 13.2 MILES. 1003 SIGHTED NAGASAKI
ITANA LIGHT BEARING 056. 17.6 MILES. 1022 C/L 079. 1038
C/L 085. 1040 C/L 095. 1046 C/L 075. 1119 C/L 063.

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

12-16 UNDERWAY AS BEFORE. 1228 C/L TO 100. 1230 C/L TO 063. 1250 C/L TO 070.
1251 C/L TO 063. 1327 C/L TO 068. 1328 C/L TO 063. 1337 C/L TO 070. 1342 C/L TO 061.
1343 C/L TO 063. 1455 C/L TO 20 KTS. 1507 C/L TO 22 KTS.

PR. O'Harrow
PR. O'HARROW LT USN

16-18 UNDERWAY AS BEFORE. 1602 C/L 063. 1644 C/L 066. 1700 OBS OKLAHOMA
CITY (CLG-5) ASSUMES TACTICAL COMMAND. 1736 C/L 063.

Donald F. Zimmer
D.F. ZIMMER LTJG USNR

18-20 UNDERWAY AS BEFORE. 1907 C/L 060. 1932 C/L 063.

DF Berkebile
DF. BERKEBILE, LTJG USN

EXAMINED

Hope Ellis
HOPE ELLIS LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

USS WADDELL (DDG-24)

DATE SUNDAY 27 APRIL 1968
(Day) (Date) (Month)

REMARKS-CONTINUED

2024 UNDERWAY AS BEFORE. MANEUVERING TO TAKE STATION ON THE
USS OKLAHOMA CITY (CLG-5). SOPA IS COMSEVENTHFLT. 2005 ON STATION
GUIDE BEARS 253° AT 2000 YDS, BASE COURSE 063°, BASE SPEED 20 KTS.
MANEUVERING TO MAINTAIN STATION. 2333 NEW BASE COURSE 064°.

William H. Gaik
WILLIAM H. GAIK
LTJG USNR

EXAMINED:

Hayne Ellis LTJG U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE MONDAY 28, APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YELLOW SEA OFF CHEJU DO TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>34°-24.5N</u> BY <u>3</u>		
λ <u>138°-59.1E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>35°-13.9N</u> BY <u>3</u>		
λ <u>139°-46.4E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L _____ BY _____		
λ _____ BY _____		

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH CONSEQUENTLY FLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING IN A COLUMN FORMATION IN STATION "A" WITH THE GUIDE, U.S.S. OKLAHOMA CITY (CLG5), BEARING ²⁵⁴~~254~~°T, DISTANCE 2400 YDS, ENROUTE FROM THE YELLOW SEA OFF CHEJU DO TO YOKOSUKA, JAPAN, ON BASE COURSE ⁰⁶⁴~~063~~° AT BASE SPEED 20 KTS. SOPA IS CONSEQUENTLY EMBARKED U.S.S. OKLAHOMA CITY. OTC IS CO OKLAHOMA CITY. THE SHIP IS DARKENED EXCEPT NORMAL NAVIGATION LIGHTS ARE ON. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. ΦΦΦΦ C/C TO Φ62° ΦΦΦ5 C/C TO Φ65° ΦΦΦ9 C/C TO Φ62° ΦΦΦ C/C TO Φ63° ΦΦ17ΦS TO 2 TURNS UNDER 20 KTS. ΦΦ18 C/C TO Φ62° ΦΦ25 C/C TO Φ63° ΦΦ39 C/S TO 20 KTS. CONTINUED MANEUVERING VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION TO THE GUIDE.

P.R. O'Harrow
P.R. O'HARROW LT USN

~~UNDERWAY A~~ Φ4-Φ8 UNDERWAY AS BEFORE.

Donald F. Zimmer
D.F. ZIMMER LTJG USNR

Φ8-12 UNDERWAY AS BEFORE. Φ741 C/C Φ32° Φ803 C/C Φ31° Φ818 C/C Φ30° Φ836 C/C Φ25° Φ923 C/C Φ56° Φ930 C/C Φ62° 1009 C/S 11KT. 1000 C/C Φ65° 1022 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION 1000 YDS ASTERN OF GUIDE. BASE COURSE Φ65. BASE SPEED 11KT. 1024 C/S 20KT. 1025 C/S 11KT. 1047 C/C Φ18° 1107 C/C Φ20° 1109 C/C Φ25° 1112 C/C Φ20° 1115 C/C Φ35° 1117 C/C Φ20° 1120 C/C Φ10° C/S 7KT. 1122 C/C Φ14°

D.F. Beckwith
D.F. BECKWITH LTJG USN

08-12 con't 1123 C/C 013°T 1126 C/S 8KTS. 1135 C/C 014°T 1137 C/C 013°T 1146 C/C 000°T.

Hayne Ellis
Hayne ELLIS LTJG USN

EXAMINED

Hayne Ellis
Hayne ELLIS LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS

Waddell (DDG-24)

DATE

Monday 28 April 1969
(Day) (Date) (Month)

REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1211 NEW BASE COURSE 340° T 1224 SET HFLO
DETAIL 1226 NEW BASE COURSE 315° T SET SPECIAL SEA AND ANCHOR DETAIL. ^{DL}
1238 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE ENTERING
PORT AND MAKING APPROACH TO PIER. 1334 MOORED. WITH 6 STANDARD
DOUBLED MOORING LINES, PORT SIDE TO PIER 2, BERTH 2, YOKOSUKA
NAVAL STATION, YOKOSUKA, JAPAN. WILL RECEIVE SERVICES FROM PIER.
1344 SECURE SPECIAL SEA AND ANCHOR DETAIL. OOD SHIFTS WATCH FROM
PILOT HOUSE TO QUARTERDECK.

Donald F. Zimmer
D.F. ZIMMER LTJG USNR

16-20 MOORED AS BEFORE. 1745 CONDITION YOKE SET THROUGHOUT THE
SHIP.

Donald F. Zimmer
D.F. ZIMMER LTJG USNR

20-24 MOORED AS BEFORE.

Donald F. Zimmer
D.F. ZIMMER LTJG USNR

EXAMINED:

Harold Ellis

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS USS WADDELL (DD-91) ZONE DESCRIPTION -9 I DATE TUESDAY 29 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~04-04~~ MOORED PORTSIDE TO BERTH TWO, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN; WITH 6 STANDARD MOORING LINES DOUBLED. ENGINEERING STATUS IS COLD IRON WITH ALL SERVICES BEING RECEIVED FROM THE PIER. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. SOPA IS COMMANDER ASW GROUP ONE EMBARKED IN USS KEARSARGE (CVS 33). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, JAPANESE MARITIME SELF DEFENSE FORCE, AND HARBOR CRAFT.

Ronald Zimmer
D.F. ZIMMER LTJG USNR

~~04-08~~ MOORED AS BEFORE.

Ronald Zimmer
D.F. ZIMMER LTJG USNR

~~08-12~~ MOORED AS BEFORE ~~0828~~ USS SHELTON (DD790) MOORED STARBOARD SIDE TO WADDELLS STARBOARD SIDE ~~0900~~ SOPA SHIPS TO COMMANDER, ASW GROUP FIVE, EMBARKED IN USS HORNET (CVS-12). ~~1008~~ ASROC SECURITY ALARM SOUNDED, SET THE SABOTAGE ALERT TEAM, SET GENERAL QUARTERS ~~1012~~. SECURED SABOTAGE ALERT TEAM AND GENERAL QUARTERS

M F Maas
M F MAAS LTJG USNR

~~12-16~~ MOORED AS BEFORE

M F Maas
M F MAAS LTJG USNR

~~16-20~~ MOORED AS BEFORE

M F Maas
M F MAAS LTJG USNR

EXAMINED

Hope Oles LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE Tuesday 29 April 19 69
(Day) (Date) (Month)

REMARKS—CONTINUED

DD-24 MOORED AS BEFOREW. Maas
M F MAAS LTJG USNR

EXAMINED:

Rayne Ellis LTJG U. S. N. NAVIGATOR

USS WADDELL (DDG 24) ZONE DESCRIPTION -9T DATE WEDNESDAY 30 APRIL 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND:	1-CELESTIAL
	2-ELECTRONIC
	3-VISUAL
	4-D. R.

REMARKS

04-04 MOORED PORTSIDE TO BERTH TWO, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN, WITH 6 STANDARD MOORING LINES DOUBLED TO THE PIER. USS SHELTON (DD 790) IS MOORED STARBOARD SIDE TO THIS SHIP. ENGINEERING STATUS IS COLD IRON WITH ALL SERVICES BEING RECEIVED FROM THE PIER. CONDITION OF READINESS AND MATERIAL CONDITION YOKE ARE SET. SOPA IS COMMANDER ASW GROUP FIVE EMBARKED IN USS HORNET (CVS-12) SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, JAPANESE MARITIME SELF DEFENSE FORCE AND HARBOR CRAFT.

M Maas
MF MAAS LTJG USNR

04-08 MOORED AS BEFORE

M Maas
MF MAAS LTJG USNR

08-12 MOORED AS BEFORE

Paul B. Hatch
P. B. HATCH LTJG USNR

12-16 MOORED AS BEFORE

P. B. Hatch
P. B. HATCH LTJG, USNR

16-20 MOORED AS BEFORE

P. B. Hatch
P. B. HATCH LTJG USNR

EXAMINED

Hayes Ellis LTJG U. S. N. NAVIGATOR

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24)DATE WEDNESDAY 30 APRIL 19 69
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 MOORED AS BEFOREP. B. Hatch
P. B. HATCH LTJG USNR

EXAMINED:

Hayne Ellis LTJG

U. S. N. NAVIGATOR